ZYXEL

Zyxel LTE7490-M904 langaton reititin Gigabitti Ethernet Yksi kaista (2,4 GHz) 4G Valkoinen

Tuotemerkki : Zyxel   **Tuotekoodi:** LTE7490-M904-EU01V1F

Tuotteen nimi : LTE7490-M904

Zyxel LTE7490-M904. Wi-Fi-taajuus: Yksi kaista (2,4 GHz), Wi-Fi-standardi: Wi-Fi 4 (802.11n), WLAN-tiedonsiirtonopeus (maks.): 300 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Verkkostandardit: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af, IEEE 802.3at. Mobiiliverkon sukupolvi: 4G, 3G-standardit: HSPA+, HSUPA, UMTS, WCDMA, 4G-standardit: LTE. Tietoturva-algoritmit: SSH. Tuotetyyppi: Pöytäreititin, Tuotteen väri: Valkoinen

WAN connection	
Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✔
3G/4G USB modem compatibility *	✘

Wireless LAN features	
Wi-Fi band *	Single-band (2.4 GHz)
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)
WLAN data transfer rate (max) *	300 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Modulation	16-QAM, 64-QAM, 256-QAM, QPSK

Network	
Ethernet LAN *	✔
Ethernet LAN interface type *	Gigabit Ethernet
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af, IEEE 802.3at
Port forwarding	✔
Port triggering	✔
Dynamic DNS (DDNS)	✔

Mobile network	
Mobile network generation	4G
3G	✔
4G	✔
3G standards	HSPA+, HSUPA, UMTS, WCDMA
4G standard	LTE
4G bands supported	850,900,1800,2100 MHz

Protocols	
DHCP server	✔
Universal Plug and Play (UPnP)	✔

Design	
Product colour	White
Product type *	Tabletop router

Certificates	
Certification	CE, WEEE, RoHS, HSF

Packaging content	
Cables included	AC, LAN (RJ-45)
Warranty card	✔
Quick start guide	✔

Antenna	
Antenna design *	Internal
Antenna gain level (max)	3 dBi

Features	
Firmware upgradeable	✔

Power	
Power source type *	PoE
Power consumption (typical)	16 W
Power over Ethernet (PoE)	✔

Operational conditions	
Operating temperature (T-T)	-40 - 60 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	5 - 95%

Ports & interfaces

Ethernet LAN (RJ-45) ports *	1
USB port *	✘
Memory card slot(s)	✘

Management features

Web-based management	✔
MU-MIMO technology	✔

Security

Security algorithms	SSH
Firewall	✔
Stateful Packet Inspection (SPI)	✔
DoS attack prevention	✔
Filtering	✔
MAC address filtering	✔
URL filtering	✔
DMZ support	✔

System requirements

Mobile operating systems supported	Android, iOS

Weight & dimensions

Width	254 mm
Depth	255 mm
Height	58 mm
Weight	1.1 kg

Packaging data

Package width	280 mm
Package depth	402 mm
Package height	108 mm
Package weight	2.52 kg
Number of products included	1 pc(s)

Logistics data

Harmonized System (HS) code	85176990

4718937607006