QNAP QSW-M1208-8C verkkokytkin Hallittu L2 musta

Tuotemerkki : QNAP

Tuotekoodi: QSW-M1208-8C




QNAP QSW-M1208-8C. Kytkin tyyppi: Hallittu, Kytkinkerros: L2. Console-portti: RS-232. Täysin kaksipuolinen. MAC-osoitetaulukko: 32000 entries, Kytkentäkapasiteetti: 240 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE.... Telineasennus





Management features		Design	
Switch type *	Managed	Rack mounting *	✓
Switch layer	L2	Product colour	Black
Quality of Service (QoS) support	✓	Reset button	1
Web-based management	 Image: A start of the start of	LED indicators	Activity, Link, Power, Speed, Status
Ports & interfaces		Number of fans Electromagnetic compatibility	4 fan(s) CLASS A
Basic switching RJ-45 Ethernet ports type *	^s ×	Performance	
Gigabit Ethernet (copper) ports quantity	1	Firmware upgradeable	√
Combo SFP ports quantity	8	Power	
SFP+ module slots quantity	4	Power source *	AC
Console port	RS-232	Power supply included *	1
Network		AC input voltage	100 - 240 V
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3an, IEEE	AC input frequency	50 - 60 Hz
		Power consumption (max)	70 W
		Power over Ethernet (PoE)	
	802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) *	×
10G support *	1	Operational conditions	
Full duplex	1	Operating temperature (T-T)	0 - 40 °C
Flow control support	✓	Operating relative humidity (H-H)	5 - 95%
Spanning tree protocol	✓	Weight & dimensions	
Auto-negotiation	✓	Width	285 mm
VLAN support	1	Depth	236.6 mm
Virtual LAN features	Port-based VLAN	Height	46.6 mm
Data transmission		Weight	2.2 kg
Switching capacity *	240 Gbit/s	Packaging content	
Throughput	120 Gbit/s	Cables included	AC
MAC address table *	32000 entries	User guide	1
Jumbo frames support	1	Certificates	
Jumbo frames	9000	Certification	FCC, CE, VCCI, BSMI, RCM, WEEE
Security		Logistics data	
DHCP features	DHCP client	Harmonized System (HS) code	85176990
Access Control List (ACL)	✓		

Security	
IGMP snooping	✓



4713213517833

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.