

APC SRV6KI UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 6 kVA 6000 W

Tuotemerkki : APC Tuotekoodi: SRV6KI

Tuotteen nimi: SRV6KI


APC SRV6KI. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 6 kVA, Lähtöteho: 6000 W. Sarjaliitännän tyyppi: RS-232. Akun kapasiteetti: 7 ah, Akun kapasiteetti: 192 VAH, Akun jännite: 12 V. Kotelo: Tower, Tuotteen väri: musta, Näytön tyyppi: LCD. Tuotteen leveys: 190 mm, Tuotteen syvyys: 374 mm, Tuotteen korkeus: 685 mm





| Features | | Design | |
|--|--|---|---|
| Output power capacity * 6 Output power * 6 | wer capacity * 6 kVA wer * 6000 W ration voltage (min) * 110 V ration voltage (max) * 300 V uency * 50/60 Hz veration voltage (min) 220 V veration voltage (max) 240 V ergy rating 600 J 94% or 3:1 | Form factor * Product colour * Display type | Tower Black LCD |
| Input operation voltage (mm) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Surge energy rating Efficiency Crest factor | | Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude | 0 - 40 °C -15 - 60 °C 0 - 95% 0 - 95% 0 - 3000 m 0 - 15000 m |
| Emergency Power Off (EPO) | | Weight & dimensions | |
| Socket circuit breaker | ✓ | Width | 190 mm |
| Ports & interfaces USB port USB 2.0 ports quantity Serial interface | 1 | Depth Height Weight Package width Package depth | 374 mm 685 mm 5.4 kg 291 mm 495 mm |
| Serial interface Serial interface type RS-232 ports | RS-232 1 | Package height Package weight | 910 mm 66 kg |
| Battery | | Packaging data | |
| Battery capacity Battery capacity | 7 Ah 192 VAh | Cables included Manual | Input power cable, Output power cable, RS-232, USB cable |

| Battery | | Packaging data | |
|-----------------|------|-----------------------------|----------|
| Battery voltage | 12 V | Warranty card | ✓ |
| | | Software CD | ✓ |
| | | Logistics data | |
| | | Harmonized System (HS) code | 85078000 |





731304338017

0731304338017

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.