



## APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 8 kVA 8000 W 10 AC-pistorasia(a)

**Tuotemerkki :** APC

**Tuotekoodi:** SRT8KXLI

**Tuotteen nimi :** Smart-UPS On-Line

APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 8 kVA, Lähtöteho: 8000 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Pääte, Ulostulojen määrä: 10 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 1728 VAH, Akun kestoikä (maks.): 5 vuosi/vuosia. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, Näytön tyyppi: LCD. Tuotteen leveys: 263 mm, Tuotteen syvyys: 715 mm, Tuotteen korkeus: 432 mm



Features		Design	
UPS topology *	Double-conversion (Online)	Form factor *	Rackmount/Tower
Output power capacity *	8 kVA	Product colour *	Black
Output power *	8000 W	Display type	LCD
Waveform *	Sine	LED indicators	Status
Input operation voltage (min) *	100 V	International Protection (IP) code	IP20
Input operation voltage (max) *	476 V	Certification	REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE
Input frequency *	40 - 70 Hz		
Output operation voltage (min)	220 V		
Output operation voltage (max)	240 V		
Output frequency regulation	50/60 Hz		
Surge energy rating	480 J		
Number of output phases	1		
Crest factor	3:1		
Emergency Power Off (EPO)	✓		
Output voltage Total Harmonic Distortion (THD)	3%		
Noise level	55 dB		
Surge protection	✓		
Audible alarm(s)	✓		
Auto-restart	✓		
Ports & interfaces		Operational conditions	
AC outlet types	C13 coupler, C19 coupler	Operating temperature (T-T)	0 - 40 °C
Power plug	Terminal	Storage temperature (T-T)	-15 - 45 °C
AC outlets quantity	10 AC outlet(s)	Operating relative humidity (H-H)	0 - 95%
Number of output IEC jumpers	3	Storage relative humidity (H-H)	0 - 95%
USB port	✓	Operating altitude	0 - 3000 m
Serial interface	✓	Non-operating altitude	0 - 15000 m
Serial interface type	RJ-45		
		Technical details	
		Sustainability certificates	ENERGY STAR
		Compliance certificates	RoHS
		Weight & dimensions	
		Width	263 mm
		Depth	715 mm
		Height	432 mm
		Weight	111.8 kg
		Package width	600 mm
		Package depth	1000 mm
		Package height	461 mm
		Package weight	126.8 kg

Ports & interfaces		Packaging data	
SmartSlot	✓	Cables included	USB cable
Battery		Temperature sensor	✓
Battery technology	Sealed Lead Acid (VRLA)	Quick installation guide	✓
Battery capacity	1728 VAh	Warranty card	✓
Battery life (max)	5 year(s)	Software CD	✓
Battery recharge time	1.5 h	Logistics data	
Hot-swap battery	✓	Products per pallet	1 pc(s)
Automatic battery test	✓	Harmonized System (HS) code	85078000
Cold start	✓	Other features	
		Packaging content	Web/SNMP Management Card



0731304304319



731304304319



5712505310311

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.