

APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 8 kVA 8000 W 10 AC-pistorasia(a)

Tuotemerkki : APC Tuotekoodi: SRT8KXLI

Tuotteen nimi: Smart-UPS On-Line


APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 8 kVA, Lähtöteho: 8000 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Hardwire, Ulostulojen määrä: 10 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 1728 VAH, Akun kestoikä (maks.): 5 vuosi/vuosia. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, Näytön tyyppi: LCD. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE





Features		Design	
UPS topology * Output power capacity * Output power * Waveform *	40 - 70 Hz 220 V	Product colour * Display type LED indicators International Protection (IP) code	Black LCD Status IP20
Input operation voltage (min) *		Operational conditions	
Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency regulation Surge energy rating		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95% 0 - 3000 m 0 - 15000 m
Number of output phases Crest factor		Certificates	
Emergency Power Off (EPO) Output voltage Total Harmonic Distortion (THD) Noise level		Compliance certificates Certification	ROHS REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE
Surge protection	✓	Packaging content	
Audible alarm(s) Auto-restart	✓ ✓	Cables included Quick installation guide	USB cable ✓
Ports & interfaces		Sustainability	
AC outlet types Power plug	C13 coupler, C19 coupler	Sustainability certificates Weight & dimensions	ENERGY STAR
AC outlets quantity Number of output IEC jumpers USB port Serial interface Serial interface type	10 AC outlet(s) 3	Width Depth Height Weight	263 mm 715 mm 432 mm 111.8 kg

Ports & interfaces		Packaging data	
SmartSlot	✓	Temperature sensor	✓
Battery		Warranty card	✓
Battery technology Battery capacity Battery life (max) Battery recharge time Hot-swap battery Automatic battery test	Sealed Lead Acid (VRLA) 1728 VAh 5 year(s) 1.5 h	Software CD Package width Package depth Package height Package weight Logistics data	600 mm 1000 mm 461 mm 126.8 kg
Cold start Design	1	Products per pallet Harmonized System (HS) code	1 pc(s) 85078000
•	Rackmount/Tower	Total carbon footprint (kg of CO2e) Other features	18610.79
		Packaging content	Web/SNMP Management Card





731304304319

0731304304319



5712505310311

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.