

APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 10 kVA 10000 W 10 AC-pistorasia(a)

Tuotemerkki : APC Tuotekoodi: SRT10KXLI

Tuotteen nimi: Smart-UPS On-Line

APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 10 kVA, Lähtöteho: 10000 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Hardwire, Ulostulojen määrä: 10 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 1805 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 3,8 min. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, International Protection (IP)-koodi: IP20. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE, REACH





Features		Design	
Features UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency regulation	10000 W Sine (min) * 100 V (max) * 476 V 40/70 Hz le (min) 220 V le (max) 240 V	Pesign Form factor * Product colour * LED indicators International Protection (IP) code Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	Rackmount/Tower Black ✓ IP20 0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95%
Surge energy rating Number of output phases Efficiency	480 J 1 94.6%	Operating altitude Non-operating altitude Certificates	0 - 3000 m 0 - 15000 m
Crest factor Emergency Power Off (EPO) Noise level	3:1 ✓ 55 dB	Compliance certificates Certification	ROHS CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE, REACH
Audible alarm(s) Auto-restart Ports & interfaces	*	Packaging content Cables included	USB cable
AC outlet types Power plug AC outlets quantity Number of output IEC jumpers	C13 coupler, C19 coupler Hardwire 10 AC outlet(s) 3	Quick installation guide Sustainability Sustainability certificates Weight & dimensions	ENERGY STAR
USB port Serial interface Serial interface type SmartSlot	✓ ✓ RJ-45	Weight & dimensions Width Depth Height Weight	263 mm 715 mm 432 mm 111.8 kg

Battery		Packaging data	
Battery technology Battery capacity Typical backup time at full load Typical backup time at half load Battery life (max) Battery recharge time Hot-swap battery Automatic battery test Cold start	Sealed Lead Acid (VRLA) 1805 VAh 3.8 min 11.5 min 5 year(s) 1.5 h ✓	Temperature sensor Warranty card Software CD Package width Package depth Package height Package weight Logistics data Harmonized System (HS) code	600 mm 1000 mm 461 mm 126.8 kg
		Total carbon footprint (kg of CO2e)	22851.99
		Other features	
		Interface Nominal output voltage Nominal input voltage Packaging content	RJ-45 10/100 Base-T 230 V 230 V Web/SNMP Management Card





731304304272

0731304304272

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.