



APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 5 kVA 4500 W 10 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: SRT5KRMXLI

Tuotteen nimi : Smart-UPS On-Line



APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 5 kVA, Lähtöteho: 4500 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Pääte, Ulostulojen määrä: 10 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 845 VAh, Tyypillinen varmuuskopioaika täydellä kuormituksella: 4 min. Kotelo: Telineasennettava, Tuotteen väri: musta, Telineen kapasiteetti: 3U. Tuotteen leveys: 432 mm, Tuotteen syvyys: 719 mm, Tuotteen korkeus: 130 mm

Features

UPS topology *	Double-conversion (Online)
Output power capacity *	5 kVA
Output power *	4500 W
Waveform *	Sine
Input operation voltage (min) *	100 V
Input operation voltage (max) *	275 V
Input frequency *	40 - 70 Hz
Output operation voltage (min)	220 V
Output operation voltage (max)	240 V
Output frequency regulation	50/60 Hz
Surge energy rating	480 J
Efficiency	94.1%
Crest factor	3:1
Emergency Power Off (EPO)	✓
Output voltage Total Harmonic Distortion (THD)	3%
Noise level	55 dB
Surge protection	✓
Audible alarm(s)	✓
Auto-restart	✓

Ports & interfaces

AC outlet types	C13 coupler, C19 coupler
Power plug	Terminal
AC outlets quantity	10 AC outlet(s)
Number of output IEC jumpers	2
USB port	✓
Serial interface	✓
Serial interface type	RJ-45
SmartSlot	✓

Battery

Battery technology	Sealed Lead Acid (VRLA)
Battery capacity	845 VAh
Typical backup time at full load	4 min
Typical backup time at half load	11.8 min
Battery life (max)	5 year(s)
Battery recharge time	1.5 h

Battery

Hot-swap battery	✓
Automatic battery test	✓
Cold start	✓
Replacement battery cartridge	APCRBC140

Design

Form factor *	Rackmount
Rack capacity	3U
Product colour *	Black
Display type	LCD
Certification	REACH, CE, CE Mark, EAC, EN/IEC 62040-1, EN/IEC 62040-2, IRAM, RCM, VDE

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-15 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Non-operating altitude	0 - 15000 m

Technical details

Sustainability certificates	ENERGY STAR
Compliance certificates	RoHS

Weight & dimensions

Width	432 mm
Depth	719 mm
Height	130 mm
Weight	54.4 kg
Package width	610 mm
Package depth	960 mm
Package height	330 mm
Package weight	66.9 kg

Packaging data

Rack mount kit	✓
Temperature sensor	✓
Quick installation guide	✓
Warranty card	✓

Logistics data

Products per pallet	6 pc(s)
Harmonized System (HS) code	85078000

Other features

Packaging content	Web/SNMP Management Card
-------------------	--------------------------



0731304301196



731304301196



5415247178897

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.