

PHILIPS

Philips E Line 275E2FAE/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : Philips

Product family: E Line

Product code: 275E2FAE/00

Product name : 275E2FAE/00

275E2FAE QHD LCD monitor

Philips E Line 275E2FAE/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black:

The new Philips E line monitor with 4 sides, narrow border and cable management design offers a stylish enhancement to your workspace. Experience crystal-clear Quad HD visuals, 1 ms and AMD FreeSync™ technology for a smooth gaming action.

Philips E Line 275E2FAE/00. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display

Display diagonal *	68.6 cm (27")
Display resolution *	2560 x 1440 pixels
HD type *	Quad HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Backlight type	W-LED
Touchscreen *	✗
Display brightness (typical)	350 cd/m ²
Response time *	4 ms
Display surface	Matt
Anti-glare screen	✓
Screen shape *	Flat
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440
Supported video modes	1080p, 1440p
Aspect ratio	16:9
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	1 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	109 ppi
Horizontal scan range	30 - 144 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 144 kHz
Digital vertical frequency	48 - 75 Hz

Ergonomics

Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✓
Height adjustment	10 cm
Tilt adjustment	✓
Tilt angle range	-5 - 20°
On Screen Display (OSD)	✓
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	21
Plug and Play	✓
LED indicators	Operation, Stand-by


Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	26 kWh
Power consumption (typical) *	18.55 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	External
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	386842

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Display		Operational conditions	
Display diagonal (metric)	68.6 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
Colour gamut standard	sRGB	Weight & dimensions	
Colour gamut	101.6%	Width (with stand)	614 mm
sRGB coverage (typical)	115.6%	Depth (with stand)	234 mm
NTSC coverage (typical)	101.6%	Height (with stand)	475 mm
Display sRGB	✓	Weight (with stand)	5.23 kg
Performance		Width (without stand)	614 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	38 mm
AMD FreeSync *	✓	Height (without stand)	354 mm
AMD FreeSync type	FreeSync	Weight (without stand)	3.43 kg
Component video sync	Separate sync	Packaging data	
Flicker-free technology	✓	Package width	678 mm
Low Blue Light technology	✓	Package depth	153 mm
Multimedia		Package height	504 mm
Number of speakers	2	Package weight	7.59 kg
RMS rated power	3 W	Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	HDMI, AC
Design		Manual	✓
Market positioning *	Home	Other features	
Product colour *	Black	Exterior finish type	Textured
Ports & interfaces		Picture enhancement	SmartImage game
DVI port	✗	Recyclable packaging material	100%
HDMI *	✓	Regulatory Approvals	EPA; CB; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003
HDMI ports quantity	2	Heavy metals free	Hg (mercury)
DisplayPorts quantity	1	EasyRead mode	✓
Audio input	✗	LowBlue mode	✓
Audio output	✓	Mean time between failures (MTBF)	50000 h
Headphone out *	✗	Certification	EPA, CB, TUV/ISO9241-307, TUV-BAUART, CU-EAC, EAEU RoHS, CE Mark, FCC Class B, ICES-003
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		



8712581767648

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-NOV-2024. Prints or copies of Information are only valid on the printed Publication date