

## Chieftec PowerUp GPX-850FC virtalähdeyksikkö 850 W 20+4 pin ATX ATX musta


**Tuotemerkki :** Chieftec

**Tuoteperhe:** PowerUp

**Tuotekoodi:** GPX-850FC

**Tuotteen nimi :** GPX-850FC

Chieftec PowerUp GPX-850FC. Kokonaisteho: 850 W, AC-syöttöjännite: 100 - 240 V, AC-syöttötaajuus: 47 - 63 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 65 cm, SATA-virtakaapelin pituus: 500,650,800 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Sisältää johdot: AC, Prosessori (CPU), PCIe, Peripheral (Molex), SATA



Power		Ports & interfaces	
Total power *	850 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	80 cm
AC input frequency	47 - 63 Hz	ATX power connector (20+4 pin)	✓
Input current	12 A	Floppy drive power connector	1
Power Factor Correction (PFC) type	Active	Cabling type	Fully-Modular
Combined power (+3.3V)	110 W	<b>Performance</b>	
Combined power (+12V)	846 W	80 PLUS certification *	80 PLUS Gold
Combined power (+5V)	110 W	Purpose *	PC
Combined power (-12V)	3.6 W	Power supply unit (PSU) form factor *	ATX
Combined power (+5Vsb)	12.5 W	ATX version	2.53
Max output current (+3.3V)	20 A	Certification	80PLUS Gold
Max output current (+12V)	70.5 A	<b>Design</b>	
Max output current (+5V)	20 A	Product colour	Black
Max output current (-12V)	0.3 A	Fan diameter	12 cm
Max output current (+5Vsb)	2.5 A	Number of fans	1 fan(s)
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage	Fan location	Top
<b>Ports &amp; interfaces</b>		On/off switch	✓
Motherboard power connector *	20+4 pin ATX	<b>Packaging content</b>	
Motherboard power cable length	65 cm	Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
Number of SATA power connectors	9	<b>Weight &amp; dimensions</b>	
SATA power cable length	500,650,800 mm	Width	150 mm
Peripheral (Molex) power connectors (4-pin) *	3	Depth	140 mm
Peripheral (Molex) power cable length	500,650,800,950 mm	Height	86 mm
PCI Express power connectors (6+2 pin)	6	Weight	2.4 kg
PCI Express power cable length	65 cm		

**Packaging data**

Package weight	2.95 kg
Package type	Box

**Logistics data**

Harmonized System (HS) code	84733020
-----------------------------	----------



0753263077202



753263077202

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.