

be quiet! Pure Base 500DX Midi Tower musta

Tuotemerkki : be quiet!

Tuotekoodi: BGW37

Tuotteen nimi : Pure Base 500DX


be quiet! Pure Base 500DX. Kotelo: Midi Tower, Malli: PC, Tuotteen väri: musta. Virtalähteen sijainti: Alapuolella, Tuettujen virtalähteiden malli: ATX, PS2. Asennettuja tuulettimia edessä: 1x 140 mm, Etutuuletintien tuetut koot: 120,140 mm, Tuettujen etutuulettimien kuvaus: 140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm. Tuetut HDD-koot: 2.5,3.5". Tuotteen leveys: 232 mm, Tuotteen syvyys: 450 mm, Tuotteen korkeus: 443 mm



Design		Cooling	
Material	Acrylonitrile butadiene styrene (ABS), Steel, Tempered glass	Front fans diameters supported	120,140 mm
Form factor *	Midi Tower	Front fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm
Type *	PC	Rear fans installed	1x 140 mm
Product colour *	Black	Number of rear fans supported (max)	1
Supported motherboard form factors *	ATX, micro ATX, Mini-ATX	Rear fans diameters supported	120,140 mm
Number of 3.5" bays *	2	Rear fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm
Number of 2.5" bays	5	Top fans installed	1x 140 mm
Number of expansion slots	7	Number of top fans supported (max)	2
Side window	✓	Top fans diameters supported	120,140 mm
Illumination	✓	Top fans supported description	140x140x25 mm, 900 rpm, 17.1 dB , 55.8 cfm
Illumination colour	Blue, Green, Red	Front radiator sizes supported	120,140,240,280,360 mm
Illumination location	Front, Internal	Rear radiator sizes supported	120,140 mm
Tempered glass panel(s)	✓	Top radiator sizes supported	120,140 mm
Anti-dust filter	✓	Storage	
On/off button	✓	Supported HDD sizes *	2.5,3.5"
Maximum CPU cooler height	19 cm	Weight & dimensions	
Maximum graphics card length	36.9 cm	Width	232 mm
Maximum PSU length	25.8 cm	Depth	450 mm
Certification	CE, RoHS	Height	443 mm
Power supply		Weight	7.8 kg
Power supply included *	✗	Packaging data	
Power supply location	Bottom	Package width	285 mm
Supported power supply form factors	ATX, PS2	Package depth	510 mm
Ports & interfaces		Package height	494 mm
Audio input	✓	Package weight	8.49 kg
Audio output	✓	Logistics data	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Harmonized System (HS) code	84733080
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		

Cooling

Front fans installed	1x 140 mm
Number of front fans supported (max)	3



4260052187937

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date