

be quiet! Pure Power 11 400W virtalähdeyksikkö 20+4 pin ATX ATX musta

Tuotemerkki : be quiet!

Tuotekoodi: BN292


Tuotteen nimi : Pure Power 11 400W

be quiet! Pure Power 11 400W. Kokonaisteho: 400 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 450 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 45 cm, SATA-virtakaapelin pituus: 450,600,750 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Tuotteen leveys: 150 mm, Tuotteen syvyys: 150 mm, Tuotteen korkeus: 86 mm



Power		Performance	
Total power *	400 W	Power supply unit (PSU) form factor	ATX
Peak power	450 W	* ATX version	2.4
AC input voltage *	100 - 240 V	Bearing technology	Rifle
AC input frequency	50 - 60 Hz	Safety	CE, CB, TÜV, FCC, cTUVus, RCM, BSMI, CU, CCC
Input current	6 A	Certification	ErP, WEEE
Power factor	0.99	Design	
Power Factor Correction (PFC) type	Active	Product colour	Black
Combined power (+3.3V)	120 W	Fan diameter	12 cm
Combined power (+12V)	384 W	Number of fans	1 fan(s)
Combined power (+5V)	120 W	Weight & dimensions	
Combined power (-12V)	3.6 W	Width	150 mm
Combined power (+5Vsb)	15 W	Depth	150 mm
Max output current (+3.3V)	24 A	Height	86 mm
Max output current (+12V1)	24 A	Weight	1.93 kg
Max output current (+12V2)	20 A	Packaging data	
Max output current (+5V)	15 A	Manual	✓
Max output current (-12V)	0.3 A	Package width	210 mm
Max output current (+5Vsb)	3 A	Package depth	240 mm
Hold time	29 ms	Package height	96 mm
Efficiency	92%	Package weight	2.22 kg
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Package type	Box
Ports & interfaces		Technical details	
Motherboard power connector *	20+4 pin ATX	Sustainability certificates	ENERGY STAR
Motherboard power cable length	45 cm	Compliance certificates	RoHS
Number of SATA power connectors	5	Logistics data	
Number of PATA power connectors	2	Master (outer) case width	326 mm
SATA power cable length	450,600,750 mm	Master (outer) case length	514 mm
PCI Express power connectors (6+2 pin)	2	Master (outer) case height	241 mm
PCI Express power cable length	50 cm		

Ports & interfaces		Logistics data	
CPU power connector (4+4 pin)	✓	Master (outer) case gross weight	14.5 kg
CPU power cable length	6 cm	Harmonized System (HS) code	84733020
Floppy disk drive connector	✓	Products per master (outer) case	6 pc(s)
Cabling type	Non-Modular	Other features	
Performance		Screws included	✓
80 PLUS certification *	80 PLUS Gold	Cable ties included	✓
Purpose *	PC	Noise level (silent mode, <30%)	10.5 dB
		Noise level (quiet mode, 50%)	11.4 dB
		Noise level (full-load mode, 100%)	14.9 dB



4260052186336

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date