

be quiet! Straight Power 11 1000W Platinum virtalähdeyksikkö 20+4 pin ATX ATX musta

Tuotemerkki : be quiet!

Tuotekoodi: BN309

Tuotteen nimi : Straight Power 11 1000W Platinum

be quiet! Straight Power 11 1000W Platinum. Kokonaisteho: 1000 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 1070 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 60 cm, PCI Express -virtakaapelin pituus: 60 cm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Platinum. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuuletin halkaisija: 13,5 cm. Tuotteen leveys: 150 mm, Tuotteen syvyys: 170 mm, Tuotteen korkeus: 86 mm



Power		Performance	
Total power *	1000 W	EPS version	2.92
Peak power	1070 W	Noise level	28.1 dB
AC input voltage *	100 - 240 V	Bearing technology	FDB
AC input frequency	50 - 60 Hz	Mean time between failures (MTBF)	100000 h
Input current	13/6.5 A	Certification	CE, CB, TÜV, FCC, cTUVus, RCM (Australia), BSMI, CU (Russia)
Power factor	0.99		
Power Factor Correction (PFC) type	Active	Design	
Combined power (+3.3V)	150 W	Product colour	Black
Combined power (+12V)	999.6 W	Cooling type	Active
Combined power (+5V)	150 W	Fan diameter	13.5 cm
Combined power (-12V)	6 W	Number of fans	1 fan(s)
Combined power (+5Vsb)	15 W	Fan speed	0 - 2600 RPM
Max output current (+3.3V)	25 A	Fan location	Top
Max output current (+12V)	83.3 A	Weight & dimensions	
Max output current (+12V1)	22 A	Width	150 mm
Max output current (+12V2)	22 A	Depth	170 mm
Max output current (+12V3)	30 A	Height	86 mm
Max output current (+12V4)	30 A	Weight	1.87 kg
Max output current (+5V)	25 A	Packaging data	
Max output current (-12V)	0.5 A	Manual	✓
Max output current (+5Vsb)	3 A	Package width	248 mm
Hold time	20 ms	Package depth	328 mm
Efficiency	94.1%	Package height	102 mm
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Package weight	3.43 kg
		Package type	Box
Ports & interfaces		Technical details	
Motherboard power connector *	20+4 pin ATX	Sustainability certificates	ENERGY STAR
Motherboard power cable length	60 cm	Compliance certificates	RoHS
Number of SATA power connectors	11	Logistics data	
Number of PATA power connectors	4	Master (outer) case width	282 mm
EPS power connector (8-pin)	✓	Master (outer) case length	651 mm
EPS power connector (4+4 pin)	✓	Master (outer) case height	346 mm
PCI Express power connectors (6+2 pin)	6	Master (outer) case gross weight	24 kg
PCI Express power cable length	60 cm		

Ports & interfaces		Logistics data	
Floppy drive power connector	1	Harmonized System (HS) code	84733020
Cabling type	Fully-Modular	Other features	
Performance		EPS cable length	70 cm
80 PLUS certification *	80 PLUS Platinum	Screws included	✓
Purpose *	PC	Cable ties included	✓
Power supply unit (PSU) form factor *	ATX	Noise level (silent mode, <30%)	7.8 dB
ATX version	2.51	Noise level (quiet mode, 50%)	8 dB
		Noise level (full-load mode, 100%)	28.1 dB
		Warranty card	✗
		Parallel processing technology support	Dual Graphics



4260052187401

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date