Canon

Canon PIXMA G3560 MegaTank Mustesuihku A4 4800 x 1200 DPI Wi-Fi

Tuotemerkki : Canon   **Tuoteperhe:** PIXMA   **Tuotekoodi:** 4468C006

Tuotteen nimi : G3560 MegaTank

Canon PIXMA G3560 MegaTank. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x 1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta

Printing

Duplex printing mode	Manual
Print technology *	Inkjet
Printing *	Colour printing
Duplex printing *	✔
Maximum resolution *	4800 x 1200 DPI
Borderless printing	✔

Copying

Copying *	Colour copying
Maximum number of copies	99 copies
Copier resize	25 - 4000%
N-in-1 copy function	✔
N-in-1 copy function (N=)	2, 4
ID-card copy function	✔

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	600 x 1200 DPI
Scanner type *	Flatbed scanner
Scan technology	CIS
Input colour depth	16 bit
Output colour depth	8 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit

Features

Ink tank system	✔
Number of print cartridges *	4
Printing colours *	Black, Green, Magenta, Yellow
Replacement cartridges	GI-51 GI-51 GI-51 GI-51

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	WEP, WPA-PSK, WPA2-PSK
Mobile printing technologies	Apple AirPrint, Canon iEasy-PhotoPrint, Mopria Print Service

Performance

Sound power level (printing)	51 dB

Design

Product colour *	Black
Market positioning *	Home & office
Built-in display *	✔
Display	LCD
Control type	Buttons

Power

Power consumption (average operating)	15 W
Power consumption (standby)	0.7 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.18 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8.1

Input & output capacity

Total number of input trays *	1
Total input capacity *	100 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Card stock, Envelopes, Glossy paper, Heavy paper, High resolution paper, Iron-On Transfers, Matte paper, Photo paper, Plain paper, Semi-glossy paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Legal
Envelopes sizes	C5
Photo paper sizes	10x15 cm
Borderless printing media sizes	10x15, 13x18, 17.5x25, 20x25, A4
Paper tray media weight	65 - 105 g/m²

Ports & interfaces

Direct printing *	✔
USB port	✔
USB connector	USB Type-B

System requirements

Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.15 Catalina
Server operating systems supported	Windows Server 2008, Windows Server 2012, Windows Server 2016, Windows Server 2019
Mobile operating systems supported	Android, iOS
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	5 - 35 °C

Weight & dimensions

Width	445 mm
Depth	330 mm
Height	167 mm
Weight	6.4 kg

Packaging content

Cartridge(s) included	✔
Bundled software	Windows: 2.0GB or more Mac: 1.0GB or more

Logistics data

Harmonized System (HS) code	84433100

4549292168518