![BenQ]

BenQ MW536 data projector Standard throw projector 4000 ANSI lumens DLP WXGA (1200x800) White

Brand : BenQ

Product name : MW536

Product code: 9H.JN877.33E

- 4000 ANSI Lumens High Brightness and 20,000:1 High Contrast
- Exclusive Data Review Mode Showcases Text and Charts in Perfect Detail
- SmartEco Mode Saves Lamp Power Up To 70%

1280x800, DLP 0.65", 4000 ANSI, 60-150", 1080p, 2x 1W, HDMI/VGA/USB/S-Video/RCA, 240W
BenQ MW536. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1200x800). Light source type: Lamp, Service life of light source: 5500 h, Service life of light source (economic mode): 20000 h. Focus: Manual, Zoom type: Manual, Zoom ratio: 1.2:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 576p, 480i, 1080i, 480p, 720p, 1080p, 576i. Serial interface type: RS-232, HDMI connector type: Full-size

Projector

Smart projector *	✕
Screen size compatibility *	1524 - 3810 mm (60 - 150")
Projector brightness *	4000 ANSI lumens
Projection technology *	DLP
Projector native resolution *	WXGA (1200x800)
Contrast ratio (typical) *	20000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Horizontal scan range	15 - 102 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, vertical	-40 - 40°

Light source

Light source type *	Lamp
Service life of light source *	5500 h
Service life of light source (economic mode)	20000 h

Lens system

Focus *	Manual
Zoom capability	✔
Zoom type	Manual
Zoom ratio	1.2:1
Throw ratio	1.55 - 1.86
Offset	103%

Video

Analog signal format system *	NTSC, PAL, SECAM
Full HD *	✔
3D *	✕

Network

Wi-Fi *	✕

Storage

Card reader integrated *	✕

Features

Interactive *	✔
Noise level (economic mode)	29 dB
Preset modes	Bright, Cinema, Presentation, sRGB
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Farsi, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Number of OSD languages	30
Noise level *	32 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	2 W
Number of built-in speakers	2

Design

Market positioning *	Business
Product type *	Standard throw projector
Product colour *	White

Video

Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)
Supported video modes	576p, 480i, 1080i, 480p, 720p, 1080p, 576i

Ports & interfaces

HDMI connector type	Full-size
S-Video inputs quantity	1
USB 2.0 ports quantity	1
Mini-USB 2.0 ports quantity	1
Audio (L/R) in *	1
Audio (L/R) out	1
Serial interface type *	RS-232
PC in (D-Sub)	✔
VGA (D-Sub) ports quantity *	2
HDMI ports quantity *	3
Composite video in *	1
DVI port *	✘
AC (power) in	✔

Network

Smart TV *	✘
Ethernet LAN *	✘

Design

Cable lock slot	✔
Cable lock slot type	Kensington

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	240 W
Power consumption (standby) *	0.3 W
Power consumption (max)	260 W
Power consumption (economy mode)	190 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Supplier features

Battery type	AAA

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	332.4 mm
Depth	241.3 mm
Height	99 mm
Weight *	2.6 kg

Packaging content

Remote control included *	✔
Cables included	AC, VGA
Manual	✔

Logistics data

Harmonized System (HS) code	85286200

4718755084096

0840046044497

840046044497