



## BenQ MH536 dataprojektori Vakioprojektori 3800 ANSI lumenia DLP 1080p (1920x1080) 3D Valkoinen

**Tuotemerkki :** BenQ

**Tuotekoodi:** 9H.JN977.33E

**Tuotteen nimi :** MH536

BenQ MH536. Projektorin kirkkaus: 3800 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 5500 h, Valonlähteen käyttöikä (säästötila): 7000 h. Polttovälialue: 20.4 - 24.48 mm, Aukkoalue (F-F): 2,47 - 2,66, Zoomaussuhde: 1.2:1. Analogisen signaalin järjestelmä: NTSC, PAL, SECAM, Tuetut 3D-formaatit: Peräkkäiset kuvat, Kuvan pakkaus, Vierekkäin, Ylhäällä ja alhaalla, Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA). Sarjaliitännän tyyppi: RS-232, HDMI/liitäntätyyppi: Täysikokoinen, HDMI-versio: 1.4a



Projector		Network	
Supported aspect ratios	4:3, 16:10, 16:9	Smart TV *	✗
Smart projector *	✗	Ethernet LAN *	✗
Screen size compatibility *	762 - 7620 mm (30 - 300")	Wi-Fi *	✗
Projector brightness *	3800 ANSI lumens	Storage	
Projection technology *	DLP	Card reader integrated *	✗
Projector native resolution *	1080p (1920x1080)	Features	
Contrast ratio (typical) *	20000:1	Interactive *	✗
Native aspect ratio *	16:10	Noise level (economic mode)	29 dB
Number of colours	1.07 billion colours	HDCP	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Keystone correction, vertical	-40 - 40°	Number of OSD languages	30
Matrix size	1.65 cm (0.65")	Noise level *	32 dB
Light source		Multimedia	
Light source type *	Lamp	Built-in speaker(s) *	✓
Service life of light source *	5500 h	RMS rated power	2 W
Service life of light source (economic mode)	7000 h	Number of built-in speakers	1
Lamp power	203 W	Design	
Lens system		Market positioning *	Business
Focal length range	20.4 - 24.48 mm	Product type *	Standard throw projector
Aperture range (F-F)	2.47 - 2.66		
Zoom capability	✓		
Zoom ratio	1.2:1		
Throw ratio	1.49 - 1.76		
Offset	107%		
Video			
Analog signal format system *	NTSC, PAL, SECAM		

Video		Design	
Full HD *	✓	Product colour *	White
3D *	✓	Placement	Ceiling, Desktop
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom	Cable lock slot	✓
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Cable lock slot type	Kensington
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Display	
Ports & interfaces		Built-in display *	✗
HDMI connector type	Full-size	Power	
HDMI version	1.4a	Power source *	AC
S-Video inputs quantity	1	Power consumption (typical) *	252 W
USB 2.0 ports quantity	1	Power consumption (standby) *	0.5 W
Mini-USB 2.0 ports quantity	1	Power consumption (max)	260 W
Serial interface type *	RS-232	Power consumption (economy mode)	190 W
PC Audio in	✓	AC input voltage	100 - 240 V
PC Audio out	✓	AC input frequency	50 - 60 Hz
PC in (D-Sub)	✓	Operational conditions	
VGA (D-Sub) ports quantity *	3	Operating temperature (T-T)	0 - 40 °C
HDMI ports quantity *	2	Weight & dimensions	
Composite video in *	1	Width	330.6 mm
DVI port *	✗	Depth	241 mm
AC (power) in	✓	Height	100.4 mm
		Weight *	2.6 kg
		Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC, VGA
		Logistics data	
		Quantity per pack	1 pc(s)
		Harmonized System (HS) code	85286200



4718755084119

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date