



TP-Link Archer VR300 langaton reititin Nopea Ethernet Kaksitaajuus (2,4 GHz/5 GHz) musta

Tuotemerkki : TP-Link

Tuotekoodi: ARCHER VR300

Tuotteen nimi : Archer VR300

TP-Link Archer VR300. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), WLAN-tiedonsiirtonopeus (maks.): 867 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Nopea Ethernet, Ethernet LAN -datanopeudet: 10,100 Mbit/s, Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h. Tietoturva-algoritmit: IPSec, WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Tuotetyyppi: Pöytäreititin, Tuotteen väri: musta. Sertifiointi: CE, RoHS, RCM



WAN connection		Security	
Ethernet WAN *	✓	MAC address filtering	✓
DSL WAN *	✓	DMZ support	✓
SIM card slot *	✗	Network address translation (NAT)	✓
3G/4G USB modem compatibility *	✗	Protocols	
Wireless LAN features		DHCP client	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	DHCP server	✓
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (max) *	867 Mbit/s	Design	
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Product colour	Black
WLAN data transfer rate (first band)	300 Mbit/s	On/off switch	✓
WLAN data transfer rate (second band)	867 Mbit/s	Product type *	Tabletop router
Network		Certificates	
Ethernet LAN *	✓	Certification	CE, RoHS, RCM
Ethernet LAN interface type *	Fast Ethernet	Packaging content	
Ethernet LAN data rates	10,100 Mbit/s	Cables included	LAN (RJ-45), Phone (RJ-11)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h	AC adapter included	✓
Dynamic DNS (DDNS)	✓	Quick start guide	✓
VPN Passthrough	✓	Antenna	
Equivalent Isotropically Radiated Power (EIRP) (@IEEE 802.11b)	20 dBmW	Antenna design *	External
Equivalent Isotropically Radiated Power (EIRP) (@IEEE 802.11g)	20 dBmW	Antennas quantity	4
Equivalent Isotropically Radiated Power (EIRP) (@IEEE 802.11n)	20 dBmW	Power	
		Output voltage	12 V
		Output current	1 A

Mobile network		Operational conditions	
3G	✗	Operating temperature (T-T)	0 - 40 °C
4G	✗	Storage temperature (T-T)	-40 - 70 °C
DSL features		Operating relative humidity (H-H)	10 - 90%
ADSL	✓	Storage relative humidity (H-H)	5 - 90%
ADSL2	✓	System requirements	
ADSL2+	✓	Windows operating systems supported	✓
VDSL2	✓	Linux operating systems supported	✓
Ports & interfaces		Mac operating systems supported	✓
Ethernet LAN (RJ-45) ports *	4	Mac compatibility	✓
USB port *	✗	Weight & dimensions	
RJ-11 ports quantity	1	Width	385 mm
Management features		Depth	76 mm
Web-based management	✓	Height	290 mm
Quality of Service (QoS) support	✓	Packaging data	
Reset button	✓	Package width	330 mm
WPS push button	✓	Package depth	240 mm
Security		Package height	76 mm
Security algorithms	IPSec, WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Package weight	840 g
Firewall	✓	Logistics data	
Filtering	✓	Harmonized System (HS) code	85176990



6935364081942

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date