



## TP-Link Omada EAP660 HD WLAN-tukiasema 2402 Mbit/s Valkoinen Power over Ethernet -tuki

**Tuotemerkki :** TP-Link

**Tuoteperhe:** Omada

**Tuotekoodi:** EAP660 HD

**Tuotteen nimi :** EAP660 HD

TP-Link Omada EAP660 HD. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 2402 Mbit/s. Tietoturva-algoritmit: WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK. Ethernet LAN -datanopeudet: 25000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Features		Management features	
2.4 GHz *	✓	Web-based management	✓
5 GHz *	✓	Syslog	✓
6 GHz *	✗	<b>Ports &amp; interfaces</b>	
Maximum data transfer rate *	2402 Mbit/s	Ethernet LAN (RJ-45) ports *	1
Maximum data transfer rate (2.4 GHz)	1148 Mbit/s	DC-in jack	✓
Maximum data transfer rate (5 GHz)	2402 Mbit/s	<b>Power</b>	
Ethernet LAN data rates	25000 Mbit/s	Power over Ethernet (PoE) *	✓
Frequency band	2.4 - 5 GHz	Output voltage	12 V
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Output current	2 A
Automatic channel selection	✓	<b>Design</b>	
Automatic channel scanning	✓	Placement *	Ceiling
MIMO	✓	Product colour *	White
MIMO type	Multi User MIMO	<b>Antenna</b>	
Wi-Fi Multimedia (WMM)/(WME)	✓	Antenna type *	Internal
Wi-Fi roaming	✓	<b>Weight &amp; dimensions</b>	
VLAN support	✓	Width	243 mm
Rate limiting	✓	Depth	243 mm
Wireless isolation	✓	Height	64 mm
Airtime Fairness (ATF)	✓	<b>Packaging content</b>	
Quality of Service (QoS) support	✓	Mounting kit	✓
<b>Security</b>		<b>Operational conditions</b>	
Security algorithms *	WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK	Operating relative humidity (H-H)	10 - 90%
MAC address filtering	✓	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-40 - 70 °C
		Storage relative humidity (H-H)	5 - 90%

**Security**

Service Set Identifier (SSID) features Multiple SSIDs

Remote Authentication Dial-In User Service (RADIUS) ✓

**Logistics data**

Harmonized System (HS) code 85176990



6935364089719



6935364053451




0845973089719



845973089719



9353640897198



4895252506167

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.