
## Logitech Rally Bar videoneuvottelujärjestelmä Ethernet LAN Ryhmävideoneuvottelujärjestelmä

Tuotemerkki : Logitech Tuotekoodi: 960-001311

Tuotteen nimi: Rally Bar







| Performance  |  | Microphone                                      |  |
|--|--|---|--|
|  | Cranhita   | •   | 6  |
| Product colour * Product type * Pan range Tilt angle range | Graphite Group video conferencing system -25 - 25° -15 - 15° | Number of microphones                           | 6  |
|  |  | Features  |  |
|  |  | Telepresence *                                  | ×  |
| PTZ control  | ✓  | Logistics data                                  |  |
| Video  |  | Master (outer) case gross weight                | 9.91 kg  |
| HD type *  | 4K Ultra HD  | Master (outer) case length                      | 1004 mm  |
| Supported video modes                                      | 576p, 720p, 900p, 1440p, 2160p                               | Master (outer) case width                       | 220 mm   |
| Maximum frame rate   | 30 fps   | Master (outer) case height                      | 231 mm   |
| Audio  |  | Harmonized System (HS) code                     | 85176990   |
| Built-in speaker(s)  | <b>✓</b>   | Battery   |  |
| Output level   | 92/99 dB   | Battery capacity                                | 0.675 Wh   |
| Line-out impedance   | 4 Ω  | Computer system                                 |  |
| Output voltage Total Harmonic Distortion (THD)             | 2%   | Windows operating systems supported             | Windows 10, Windows 11                           |
| Audio beamforming  | <b>/</b>   | Mac operating systems supported                 | Mac OS X 11.0 Big Sur, Mac OS X<br>12.0 Monterey |
| Noise reduction  | ✓  | Operational conditions                          |  |
| Echo cancellation  | <b>✓</b>   | Operating temperature (T-T)                     | 0 - 40 °C  |
| RMS rated power  | 8 W<br>4.5 m   | Operating relative humidity (H-H)               | 10 - 95%   |
| Microphone pick-up range Sample rates                      | 4.5 III<br>0 - 48 kHz  | Storage temperature (T-T)                       | -40 - 70 °C                                      |
| Ports & interfaces   | 0 40 KHZ   | Heat dissipation                                | 64 BTU/h   |
|  | 3  | Power   |  |
| HDMI ports quantity HDMI output ports quantity             | 2  | Power source type                               | AC   |
| HDMI input ports quantity                                  | 1  | AC input voltage                                | 100 - 240 V                                      |
| USB connector type   | USB Type-A, USB Type-C                                       | Current   | 4.754 A  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A                           | 3  | DC input voltage                                | 19 V   |
| ports quantity   |  | Battery technology                              | Lithium  |
| DC-in jack   | ✓  | Battery capacity  Number of batteries supported | 220 mAh<br>2                                     |
| Microphone in  | ✓  | Power plug type                                 | Z<br>Type C                                      |
| Interface module   |  | Weight & dimensions                             | .,,,,,   |
| Interface module Ethernet LAN (RJ-45) ports                | 1  | Width   | 910 mm   |
| Network  |  | Depth   | 160 mm   |
| Ethernet LAN *   | <b>✓</b>   | Height  | 164 mm   |
| Edicinic LAN   | •  | Weight  | 7.08 kg  |

| Network  |  | Weight & dimensions  |  |
|--|--|--|--|
| Ethernet LAN data rates<br>Wi-Fi<br>Wi-Fi standards  | 10,100,1000 Mbit/s   802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) IPv4, IPv6 | Package width<br>Package depth<br>Package height<br>Package weight | 207 mm<br>989 mm<br>218 mm<br>9.3 kg   |
| Supported network protocols  |  | Packaging content  |  |
| Security algorithms  Camera  | 128-bit AES  | Cables included  | AC, DC, HDMI, USB Type-A to USB<br>Type-C  |
| Zoom capability  | ✓  | Power cable length   | 2.5 m  |
| Optical zoom   | 5x   | HDMI cable length  | 2 m  |
| Digital zoom   | 3x   | AC adapter included  | ✓  |
| Horizontal field of view   | 82.1°  | Remote control included  | ✓  |
| Vertical field of view   | 52.2°  | Quick start guide  | ✓  |
| Diagonal field of view<br>Remote control interface   | 90°<br>Bluetooth   | Packaging content  | Rally Bar Power supply AC power<br>cord HDMI cable USB cable Remote<br>control Lens caps for main camera |
| Microphone   |  | . actuaging content  | and Al Viewfinder User   |
| Microphone sensitivity Microphone frequency Microphone direction type Sound pressure level (max) | -36 dB<br>90 - 16000 Hz<br>Omnidirectional<br>90 dB  |  | documentation  |







(01)50992060893218



5704174815365

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.