D-Link DCS-6100LH Kuutio IP-turvakamera Sisätila 1920 x 1080 pikseliä Vastaanotto

Tuotemerkki : D-Link

Tuotekoodi: DCS-6100LH/E

Tuotteen nimi : DCS-6100LH

D-Link DCS-6100LH. Malli: IP-turvakamera, Tuettu sijoitus: Sisätila, Yhteysteknologia: Langaton. Kiinnitystyyppi: Vastaanotto, Tuotteen väri: musta, Kotelo: Kuutio. Objektiivin kuvakulma, vaakasuora: 90°, Objektiivin kuvakulma, pystysuora: 60°, Objektiivin kuvakulma, kulmittain: 110°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 3 mm (1 / 3"). Kiinteä polttoväli: 3,3 mm



Performance		Network		
Type * Placement supported * Connectivity technology * PTZ control	IP security camera Indoor Wireless ×	Works with the Google Assistant	1	
		Works with Amazon Alexa	1	
		Storage		
Operating frequency	2400 MHz	Built-in HDD *	x	
Certification	CE, FCC, IC, RCM	Ports & interfaces		
Design		USB port	1	
Form factor *	Cube	Security		
Mounting type * Product colour *	Desk Black	Video motion detection	J.	
LED indicators		Security algorithms	WPA3	
Camera	•	Alert notification type	Snapshot alert message	
Lens viewing angle, horizontal Lens viewing angle, vertical	90° 60°	Management features		
		Reset button	1	
Lens viewing angle, diagonal	110°	Power		
Image sensor		Power source type *	USB	
Optical sensor size	25.4 / 3 mm (1 / 3")	AC input voltage	100 - 240 V 4 W	
Sensor type *	CMOS	Power consumption (max) DC output voltage	4 w	
Lens system		DC output current	1 A	
Maximum aperture number	2.4	Operational conditions		
Fixed focal length	3.3 mm	Operating temperature (T-T)	0 - 40 °C	
Night vision		Storage temperature (T-T)	-20 - 70 °C	
Night vision *	✓	Operating relative humidity (H-H)	0 - 90%	
Night vision distance	5 m	Storage relative humidity (H-H)	0 - 90%	
Video		System requirements		
Maximum resolution *	1920 x 1080 pixels 2 MP	Mobile operating systems supported Android, iOS		
Total megapixels * Video compression formats	2 MP H.264	Weight & dimensions		
Audio		Width Depth	60 mm 60 mm	
Audio codecs	MPEG-2 AAC LC	Height	104 mm	
Built-in microphone	✓	Weight	65 g	
Audio detection	1	Cable length	1.5 m	

Network		Packaging content	
Ethernet LAN *	×	Number of cameras *	1
Supported network protocols	IPv4, Bonjour (mDNS, DNS-SD), RTSP, SRTP, RTP/SRTP, HTTPS ✔	Logistics data	
Wi-Fi *		Harmonized System (HS) code	85258900
Wi-Fi standards	802.11g, Wi-Fi 4 (802.11n)		

Bluetooth *

×





790069456770

0790069456770

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.