Epson LQ-2090IIN dot matrix printer 550 cps

Brand : Epson Product code: C11CF40402A0

Product name: LQ-2090IIN

- Fast print speed: USD speed of 550 characters per second at 10 characters per inch
- Increased reliability: Mean time between failure of 25,000 power-on hours
- Increased number of copies: Now original plus six copies
- Network capability: Supports both serial and Ethernet connections
- Same consumables: Uses the same ribbons as existing models

Impact dot matrix, 24 pins, 136 columns, 24 Needles, 10 cpi: 550 chars/s, USB 2.0

Epson LQ-2090IIN. Maximum print speed: 550 cps, Character pitch: 10 cpi, Maximum number of copies: 6 copies. Paper tray media types: Envelopes, Continuous paper thickness range: 0.12 - 0.46 mm, Label thickness range: 0.16 - 0.19 mm. Product colour: Black, Buffer size: 128 KB, Sound pressure level (printing): 55 dB. Standard interfaces: Ethernet, Parallel, USB 2.0. Print head: 24-pin, Print head life: 400 million characters, Mean time between failures (MTBF): 25000 h






Printing		System requirements			
Maximum printing width (columns) * Colour *	136 ×	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP		
Maximum print speed *	550 cps	Server operating systems supported	Windows Server 2003 x64, Windows Server 2016		
Character pitch Maximum number of copies	10 cpi 6 copies	Mac compatibility	×		
Maximum number of copies	Code 128 (A/B/C), Code 39, EAN13, EAN8, Interleaved 2/5, POSTNET, UPC-A, UPC-E	Weight & dimensions			
Built-in barcodes		Width	612 mm		
		Depth	375 mm		
Paper handling		Height	177 mm		
Paper tray media types	Envelopes 0.12 - 0.46 mm 0.16 - 0.19 mm 0.12 - 0.46 mm	Weight	9.4 kg		
Continuous paper thickness range		Packaging data			
Label thickness range Multi-part paper thickness range		Quantity per pack	1 pc(s) 451 mm 735 mm		
Single sheet thickness range	0.065 - 0.14 mm	Package width			
5	0.005 - 0.14 11111	Package depth			
Features		Package height	295 mm		
Product colour *	Black 128 KB 55 dB	Package weight	12.2 kg		
Buffer size *		Other features			
Sound pressure level (printing) *		Print technology	Dot matrix		
Country of origin	Indonesia	Needles	24		
Ports & interfaces			Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 x64,		
Standard interfaces *	Ethernet, Parallel, USB 2.0				
Endurance		Compatible operating systems			
Print head *	24-pin	compatible operating systems	Windows Server 2016, Windows Vista, Windows Vista, 64-Bit-		
Print head life	400 million characters		Version, Windows XP, Windows XP Professional x64 Edition		
Mean time between failures (MTBF)	25000 h				
Power		Technical details			
Power consumption (typical)	49 W	Sustainability certificates	ENERGY STAR		
Power consumption (standby)	49 W	Logistics data			
Power consumption (economy	49 W	Products per pallet	14 pc(s)		
mode)		Pallet gross weight	0 g		
Operational conditions		Pallet gross length	120 cm		
		Pallet gross length	120 CIII		
Operating temperature (T-T)	5 - 35 °C	Pallet gross width	80 cm		

^	n	ıc	tı	cs	М	2	ta

Products per pallet layer 2 pc(s) Products per pallet layer (UK) 3 pc(s) Products per pallet (UK) 21 pc(s) Pallet weight (UK) 0 g Pallet length (UK) 120 cm Pallet width (UK) 100 cm Pallet height (UK) 4.59 m Harmonized System (HS) code 84433210



8715946651385

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.