

Epson LQ-2090IIN

Tuotemerkki : Epson

Tuotekoodi: C11CF40402A0

Tuotteen nimi : LQ-2090IIN

LQ-2090IIN

Epson LQ-2090IIN:

Suuri tulostusnopeus

LQ-2090IIN:ssä on parannettu USD (ultra speed draft) -nopeus - 550 merkkiä sekunnissa, 10 merkkiä tuumalla - mikä on merkittävä parannus tulostettaessa suuria määriä, kuten varastoraportteja ja suuria lasku- tai rahtiasiakirjaeria.

Entistä parempi luotettavuus

Epsonin pistematriisitekniikka on jo hyvin kehittynyt ja erittäin luotettava. Tämän vuoksi uusi tulostin parantaa keskimääräistä vikaantumisaikaa 25 prosentilla. Tämä merkitsee 25 000 käyttötuntia, mikä on ihanteellista haastavissa olosuhteissa tai tilanteissa, joissa säännöllinen huolto ei ole tarkoituksenmukaista.

Samat tarvikkeet

Tässä tulostimessa käytetään samoja värinauhoja kuin nykyisissä malleissa, joten voit vaihtaa laitteesi ja jatkaa nykyisten värinauhatarvikkeidesi käyttöä.

Verkkovalmius

Tämä on verkkomalli, joka tukee sekä sarja- että Ethernet-liitäntöjä entistä parempien yhteyksien takaamiseksi.



Printing		System requirements	
Maximum printing width (columns) *	136	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Colour *	✗	Server operating systems supported	Windows Server 2003 x64, Windows Server 2016
Maximum print speed *	550 cps	Mac compatibility	✗
Character pitch	10 cpi	Weight & dimensions	
Maximum number of copies	6 copies	Width	612 mm
Built-in barcodes	Code 128 (A/B/C), Code 39, EAN13, EAN8, Interleaved 2/5, POSTNET, UPC-A, UPC-E	Depth	375 mm
Paper handling		Height	177 mm
Paper tray media types	Envelopes	Weight	9.4 kg
Continuous paper thickness range	0.12 - 0.46 mm	Packaging data	
Label thickness range	0.16 - 0.19 mm	Quantity per pack	1 pc(s)
Multi-part paper thickness range	0.12 - 0.46 mm	Package width	451 mm
Single sheet thickness range	0.065 - 0.14 mm	Package depth	735 mm
Features		Package height	295 mm
Product colour *	Black	Package weight	12.2 kg
Buffer size *	128 KB	Other features	
Sound pressure level (printing) *	55 dB	Print technology	Dot matrix
Country of origin	Indonesia	Needles	24
Ports & interfaces		Compatible operating systems	Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 x64, Windows Server 2016, Windows Vista, Windows Vista, 64-Bit-Version, Windows XP, Windows XP Professional x64 Edition
Standard interfaces *	Ethernet, Parallel, USB 2.0	Technical details	
Endurance		Sustainability certificates	ENERGY STAR
Print head *	24-pin	Logistics data	
Print head life	400 million characters	Products per pallet	14 pc(s)
Mean time between failures (MTBF)	25000 h		
Power			
Power consumption (typical)	49 W		
Power consumption (standby)	49 W		
Power consumption (economy mode)	49 W		

Operational conditions		Logistics data	
Operating temperature (T-T)	5 - 35 °C	Pallet gross weight	0 g
Operating relative humidity (H-H)	10 - 80%	Pallet gross length	120 cm
		Pallet gross width	80 cm
		Pallet gross height	4.59 m
		Products per pallet layer	2 pc(s)
		Products per pallet layer (UK)	3 pc(s)
		Products per pallet (UK)	21 pc(s)
		Pallet weight (UK)	0 g
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	4.59 m
		Harmonized System (HS) code	84433210



8715946651385

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date