

## D-Link DWR-978/E langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) 5G Valkoinen

**Tuotemerkki :** D-Link

**Tuotekoodi:** DWR-978/E

**Tuotteen nimi :** DWR-978/E

D-Link DWR-978/E. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 5 (802.11ac), WLAN-tiedonsiirtonopeus (maks.): 1732 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Ethernet LAN -datanopeudet: 100,1000 Mbit/s. Mobiiliverkon sukupolvi: 5G, 3G-standardit: WCDMA, 4G-standardit: LTE. Tietoturva-algoritmit: WPA, WPA2



<b>WAN connection</b>		<b>Security</b>	
Ethernet WAN *	✓	Stateful Packet Inspection (SPI)	✓
DSL WAN *	✗	DoS attack prevention	✓
SIM card slot *	✓	MAC address filtering	✓
WAN connection type	RJ-45	IP address filtering	✓
<b>Wireless LAN features</b>		DMZ support	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	<b>Design</b>	
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Product colour	White
WLAN data transfer rate (max) *	1732 Mbit/s	LED indicators	LTE, Power, WAN, WLAN
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 5 (802.11ac)	On/off switch	✓
<b>Network</b>		Product type *	Tabletop router
Ethernet LAN *	✓	<b>Certificates</b>	
Ethernet LAN interface type *	Gigabit Ethernet	Certification	CE , FCC , PTCRB, EMC, Safety , RoHS
Ethernet LAN data rates	100,1000 Mbit/s	<b>Antenna</b>	
<b>Mobile network</b>		Antenna design *	Internal & external
Mobile network generation	5G	Detachable antenna(s)	✓
3G	✓	<b>Power</b>	
4G	✓	Power source type *	DC
5G	✓	<b>Operational conditions</b>	
3G standards	WCDMA	Operating temperature (T-T)	0 - 40 °C
4G standard	LTE	Storage temperature (T-T)	-10 - 70 °C
SIM card type	NanoSIM		

Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	4	Operating relative humidity (H-H)	10 - 90%
USB port *	✓	Storage relative humidity (H-H)	5 - 95%
USB 2.0 ports quantity	1	Weight & dimensions	
DC-in jack	✓	Width	234.5 mm
Management features		Depth	245 mm
Web-based management	✓	Height	55.2 mm
Quality of Service (QoS) support	✓	Weight	920 g
WPS push button	✓	Logistics data	
MU-MIMO technology	✓	Harmonized System (HS) code	85176990
Security		Other features	
Security algorithms	WPA, WPA2	Number of users	128 user(s)
		Input current	4 A



0790069458668



790069458668

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.