



## LG 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m<sup>2</sup> Full HD Black Web OS 24/7



**Brand :** LG

**Product code:** 49XS4J-B

**Product name :** 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m<sup>2</sup> Full HD Black Web OS 24/7

- Brightness : 4,000 nits (Typ.) / 3,200 nits (Min.)
- Resolution : Full HD (1,920 x 1,080)
- Bezel (T,B / R,L) : 9.0 / 6.5 mm
- webOS-based High Performance
- Built-in Wi-Fi
- Web-based Monitoring Solution

49", 1920 x 1080 Full HD, IPS, 16GB, 60 Hz, Wi-Fi, 8ms, WebOS, HDMI, RS232C, RJ45, USB  
 LG 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m<sup>2</sup> Full HD Black Web OS 24/7. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m<sup>2</sup>, HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black



Display		Design	
Panel type	IPS	Mounting type	Wall
LED backlighting type	Direct-LED	<b>Performance</b>	
Display diagonal *	124.5 cm (49")	Purpose *	Commercial
Display resolution *	1920 x 1080 pixels	Multi-display supported	✓
Display brightness *	4000 cd/m <sup>2</sup>	On Screen Display (OSD)	✓
HD type *	Full HD	Number of OSD languages	21
Native aspect ratio	16:9	On Screen Display (OSD) languages	Turkish
Response time	8 ms	Ambient light sensor	✓
Contrast ratio (typical)	1300:1	Operating hours (hours/days)	24/7
Contrast ratio (dynamic)	500000:1	<b>Power</b>	
Viewing angle, horizontal	178°	Power consumption (typical) *	345 W
Viewing angle, vertical	178°	Power consumption (off)	0.5 W
Display number of colours	1.07 billion colours	AC input voltage	100 - 240 V
Rated lifetime	50000 h	AC input frequency	50 - 60 Hz
Native refresh rate	60 Hz	Heat dissipation	117 BTU/h
Haze rate	3%	<b>Computer system</b>	
<b>Ports &amp; interfaces</b>		Internal memory	16 GB
HDMI ports quantity *	2	Operating system installed	WebOS
HDMI version	1.4	<b>Weight &amp; dimensions</b>	
HDMI input ports quantity	2	Display width	1092.7 mm
DisplayPorts quantity *	2	Display depth	83.5 mm
DisplayPorts in	1	Display height	626.4 mm
DisplayPorts out	1	Display weight	20.8 kg
USB port *	✓	<b>Packaging data</b>	
USB ports quantity	1	Package width	1181 mm
USB version	2.0	Package depth	725 mm
Ethernet LAN *	✓	Package height	212 mm
Ethernet LAN (RJ-45) ports	1	Package weight	25.3 kg
Wi-Fi *	✓	<b>Packaging content</b>	
Number of speaker outputs	2	Remote control included	✓
RS-232 interface	✓	Batteries included	✓
RS-232C	✓	Cables included	AC
Remote (IR) input	1		

Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor/outdoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	Logistics data	
Product colour *	Black	Harmonized System (HS) code	85285210
VESA mounting *	✓	Features	
Panel mounting interface	600 x 400 mm	Heat dissipation (max)	1262 BTU/h
Bezel width (bottom)	9 mm	Technical details	
Bezel width (side)	6.5 mm	Sustainability certificates	ErP
Bezel width (top)	9 mm	Compliance certificates	CE



0195174012178



195174012178



8806091355027



5715063337394

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.