

## DELL WD19TBS-180W Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black

Brand : DELL Product code: DELL-WD19TBS

Product name: WD19TBS-180W

USB 3.1 Gen2 Type-C, 3 x USB A 3.1, 2 x DisplayPort, HDMI, RJ-45, Thunderbolt 3, 180W

DELL WD19TBS-180W Wired USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black:

Boost your PC's power with ExpressCharge Boost on the world's most powerful and first modular Thunderbolt dock with a future-ready design. WD19TBS is a simplified version of WD19TB without 3.5mm ports.

DELL WD19TBS-180W. Connectivity technology: Wired, Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Ethernet LAN data rates: 1000 Mbit/s. Product colour: Black, Maximum digital resolution: 5120 x 2880 pixels. Power source type: DC, AC input voltage: 120 - 230 V, AC input frequency: 50 - 60 Hz. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10...






Ports & interfaces		Power	
Connectivity technology *	Wired	AC input voltage	120 - 230 V
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	AC input frequency	50 - 60 Hz
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	3	Power supply	180 W
ports quantity *		Power cable length	0.8 m
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Software	
PowerShare	✓		
HDMI ports quantity *	1		
HDMI version	2.0		Windows 10 Enterprise x64,
DisplayPorts quantity	2		•
DisplayPort version	1.4		
Thunderbolt 3 ports quantity	1		Windows 10 Pro, Windows 10 Pro
Microphone in *	×		x64, Windows 10 x64
DC-in jack	✓	Linux operating systems supported	•
Network		Operational conditions	
Ethernet LAN *	1	Operating temperature (T-T)	0 - 35 °C
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-20 - 60 °C
Ethernet LAN data rates	1000 Mbit/s	Operating relative humidity (H-H)	10 - 80%
Performance		Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
Card reader integrated *	×	Width	205 mm
Maximum digital resolution	5120 x 2880 pixels	Depth	90 mm
VESA mounting	<b>✓</b>	Height	29 mm
Product colour *	Black	Weight	585 g
On/off switch	✓	Packaging data	
LED indicators	✓	Quantity per pack	1 pc(s)
			• • •
Power		Package width	300 mm
Power Power source type	DC	Package width Package depth	300 mm 315 mm

Packaging data	
Package height	62 mm
Logistics data	
Harmonized System (HS) code	84733020





















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.