

## AOC G2 Q27G2U/BK tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LED musta, Punainen

Tuotemerkki : AOC

Tuoteperhe: G2

Tuotekoodi: Q27G2U/BK

Tuotteen nimi : Q27G2U/BK

AOC G2 Q27G2U/BK. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Punainen






Display		Ports & interfaces	
Display Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Screen shape * Supported graphics resolutions Contrast ratio (typical) * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Viewable size, horizontal Viewable size, horizontal Viewable size, vertical Display diagonal (metric) Surface hardness	68.6 cm (27") 2560 x 1440 pixels Quad HD 16:9 LED VA W-LED X 250 cd/m <sup>2</sup> 1 ms Flat 2500 x 1440 3000:1 80000000:1 144 Hz 178° 178° 16.7 million colours 0.2745 x 0.2745 mm 30 - 160 kHz 50 - 146 Hz 59.7 cm 33.6 cm 68.58 cm 3H	Ports & interfaces DisplayPort version Audio input Headphone out * Headphone outputs Headphone connectivity Microphone in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment * Height adjustment Pivot Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) languages	1.2 ✓ 1 3.5 mm ✓ 1 3.5 m ✓ 1 3.5 m M M M M M M M M M M M M M
Iorizontal scan range30 - 160 kHzVertical scan range50 - 146 HzViewable size, horizontal59.7 cmViewable size, vertical33.6 cmVisplay diagonal (metric)68.58 cm	30 - 160 kHz 50 - 146 Hz 59.7 cm 33.6 cm 68.58 cm	Tilt angle range On Screen Display (OSD)	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian,
Colour depth Colour gamut standard sRGB coverage (typical) NTSC coverage (typical)	8 bit sRGB 121% 86%	<b>Power</b> Energy efficiency class (SDR) *	Swedish, Turkish, Ukrainian G

Display		Power	
Adobe RGB coverage 3D	90% ×	Energy consumption (SDR) per 1000 hours *	34 KWII
Performance		Power consumption (typical) *	32 W
NVIDIA G-SYNC *		Power consumption (standby) *	0.5 W
	×	Power consumption (off) AC input voltage	0.3 W 100 - 240 V
AMD FreeSync *		AC input frequency	50 - 60 Hz
AMD FreeSync type AMD FreeSync refresh rate range	FreeSync Premium 48 - 144 Hz	Energy efficiency scale	A to G
Fast charging	↓	European Product Registry for	388232
VESA Adaptive Sync support		Energy Labelling (EPREL) code	
Flicker-free technology		External power adapter	<ul> <li>Image: A set of the set of the</li></ul>
Low Blue Light technology	·	Weight & dimensions	
,	•	Width (with stand)	612.5 mm
Multimedia	-	Depth (with stand)	227.4 mm
Number of speakers	2	Height (with stand)	528.6 mm
RMS rated power	4 W	Weight (with stand)	5.2 kg
Built-in speaker(s) *	✓ 	Width (without stand) Depth (without stand)	612.5 mm 46.6 mm
Built-in microphone	×	Height (without stand)	365.8 mm
Built-in camera *	×	Weight (without stand)	4.1 kg
Design		Packaging data	<u>.</u>
Market positioning *	Gaming	Package width	730 mm
Product colour *	Black, Red	Package depth	187 mm
Frameless design		Package height	520 mm
Front bezel colour	Black/Red	Package weight	7.53 kg
Detachable stand	<ul> <li>Image: A start of the start of</li></ul>	Packaging content	
Ports & interfaces		Cables included	DisplayPort, HDMI
Built-in USB hub *	1	DisplayPort cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	4	Other features	
DVI port	×	TV tuner integrated	×
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Recyclable packaging material	100%
HDMI version	2.0	Heavy metals free	Hg (mercury)
DisplayPorts quantity	1	Bezel thickness type Compliance certificates	Frameless WEEE
		Light effects	×
		Certification	ISO 9241-307

## Logistics data

Harmonized System (HS) code

85285210



4038986187121

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.