



AOC G2 CU34G2X/BK LED display 86,4 cm (34") 3440 x 1440 pikseliä Quad HD musta, Punainen

Tuotemerkki : AOC

Tuoteperhe: G2

Tuotekoodi: CU34G2X/BK

Tuotteen nimi : CU34G2X/BK

AOC G2 CU34G2X/BK. Näytön halkaisija: 86,4 cm (34"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Punainen



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	Headphone outputs	1
Display resolution *	3440 x 1440 pixels	Headphone connectivity	3.5 mm
HD type *	Quad HD	Charging port type	USB Type-A
Native aspect ratio *	21:9	AC (power) in	✓
Display technology *	LED	Ergonomics	
Panel type *	VA	VESA mounting *	✓
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	300 cd/m ²	Cable lock slot type	Kensington
Response time *	1 ms	Height adjustment *	✓
Screen shape *	Curved	Height adjustment	13 cm
Screen curvature rating	1500R	Pivot	✗
Supported graphics resolutions	3440 x 1440	Swivelling	✓
Contrast ratio (typical) *	3000:1	Swivel angle range	-32 - 32°
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	144 Hz	Tilt angle range	-5 - 23°
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display number of colours *	16.7 million colours	Number of OSD languages	16
Pixel pitch	0.2745 x 0.2745 mm	Power	
Horizontal scan range	30 - 160 kHz	Energy efficiency class (SDR) *	G
Viewable size, horizontal	79.7 cm	Energy efficiency class (HDR) *	G
Viewable size, vertical	33.4 cm		
Digital horizontal frequency	30 - 160 kHz		
Digital vertical frequency	48 - 146 Hz		
Display diagonal (metric)	86.4 cm		
Surface hardness	3H		
Colour depth	8 bit		
Colour gamut standard	sRGB		

Display		Power	
sRGB coverage (typical)	119%	Energy consumption (SDR) per 1000 hours *	42 kWh
NTSC coverage (typical)	85%	Energy consumption (HDR) per 1000 hours *	65 kWh
Adobe RGB coverage	88%	Power consumption (typical) *	67 W
Screen curvature	150 cm	Power consumption (standby) *	0.5 W
Performance		Power consumption (off)	0.3 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✓	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync	Energy efficiency scale	A to G
AMD FreeSync refresh rate range	30 - 144 Hz	European Product Registry for Energy Labelling (EPREL) code	388210
Fast charging	✓	Weight & dimensions	
VESA Adaptive Sync support	✓	Width (with stand)	808.4 mm
Flicker-free technology	✓	Depth (with stand)	237.4 mm
Low Blue Light technology	✓	Height (with stand)	528.2 mm
Multimedia		Weight (with stand)	8.1 kg
Built-in speaker(s) *	✗	Width (without stand)	808.4 mm
Built-in camera *	✗	Depth (without stand)	102.9 mm
Design		Height (without stand)	367.5 mm
Market positioning *	Gaming	Weight (without stand)	6.6 kg
Product colour *	Black, Red	Packaging data	
Frameless design	✓	Package width	903 mm
Front bezel colour	Black/Red	Package depth	280 mm
Detachable stand	✓	Package height	548 mm
Ports & interfaces		Package weight	12.7 kg
Built-in USB hub *	✓	Package type	Box
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
USB upstream port type	USB Type-B	Stand included	✓
USB Type-A downstream ports quantity	4	Cables included	AC, DisplayPort, HDMI
DVI port	✗	DisplayPort cable length	1.8 m
HDMI *	✓	HDMI cable length	1.8 m
HDMI ports quantity	2	Other features	
HDMI version	2.0	Exterior finish type	Textured
DisplayPorts quantity	2	Recyclable packaging material	100%
DisplayPort version	1.4	Heavy metals free	Hg (mercury), Pb (lead)
Audio input	✓	Bezel thickness type	Frameless
Headphone out *	✓	Compliance certificates	CB, CE, EAC, cTUVus
		Certification	CB, CE, TUV-BAUART-MARK, ISO 9241-307, EAC, MICROSOFT WHQL
		Logistics data	
		Harmonized System (HS) code	85285210



4038986117005

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date