

Philips P Line 329P1H/00 LED display 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD musta

Tuotemerkki : Philips

Tuoteperhe: P Line

Tuotekoodi: 329P1H/00

Tuotteen nimi : 329P1H/00

Brilliance 329P1H LCD-näyttö ja USB-C-telakointi

Philips P Line 329P1H/00 LED display 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD musta:

Philipsin USB-C-telakka näytöille on kokonaisvaltainen ratkaisu. Voit katsella UltraClear 4K UHD -kuvaa ja ladata kannettavan (jopa 90 W) samaan aikaan yhdellä USB-C-kaapelilla. Esiin kääntyvä web-kamera parantavaa suorituskykyä ja käytettävyyttä.

Philips P Line 329P1H/00. Näytön halkaisija: 80 cm (31.5"), Näytön erotellutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta




Display		Ergonomics		
Display diagonal *	80 cm (31.5")	Height adjustment *	✓	
Display resolution *	3840 x 2160 pixels	Adjustable height (max)	18 cm	
HD type *	4K Ultra HD	Pivot	✓	
Native aspect ratio *	16:9	Pivot angle	-90 - 90°	
Display technology *	LED	Swivelling	✓	
Panel type *	IPS	Swivel angle range	-180 - 180°	
Backlight type	W-LED	Tilt adjustment	✓	
Touchscreen *	✗	Tilt angle range	-5 - 25°	
Display brightness (typical)	350 cd/m ²	On Screen Display (OSD)	✓	
Response time *	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian	
Anti-glare screen	✓		Plug and Play	✓
Screen shape *	Flat		LED indicators	Operation, Stand-by
Aspect ratio	16:9		Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	G	
Contrast ratio (dynamic)	50000000:1	Energy consumption (SDR) per 1000 hours *	40 kWh	
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (typical) *	31.8 W	
Maximum refresh rate *	60 Hz	Power consumption (standby) *	0.3 W	
Viewing angle, horizontal	178°	Power consumption (PowerSave)	26.8 W	
Viewing angle, vertical	178°	AC input voltage	100 - 240 V	
Display number of colours *	1.07 billion colours	AC input frequency	50 - 60 Hz	
Pixel pitch	0.18159 x 0.18159 mm	Power supply type	Internal	
Pixel density	140 ppi	Energy efficiency scale	A to G	
Horizontal scan range	30 - 140 kHz	European Product Registry for Energy Labelling (EPREL) code	399162	
Vertical scan range	23 - 75 Hz			
Viewable size, horizontal	69.7 cm			
Viewable size, vertical	39.2 cm			
Digital horizontal frequency	30 - 140 kHz			
Digital vertical frequency	23 - 75 Hz			

Display		Operational conditions	
Display diagonal (metric)	80 cm	Operating temperature (T-T)	0 - 40 °C
DDC/CI	✓	Storage temperature (T-T)	-20 - 60 °C
Haze rate	25%	Operating relative humidity (H-H)	20 - 80%
Surface hardness	3H	Operating altitude	0 - 3658 m
Colour gamut standard	sRGB	Non-operating altitude	0 - 12192 m
Colour gamut	117%	Weight & dimensions	
sRGB coverage (typical)	128%	Width (with stand)	714 mm
NTSC coverage (typical)	117%	Depth (with stand)	280 mm
Adobe RGB coverage	89%	Height (with stand)	649 mm
Display sRGB	✓	Weight (with stand)	12.2 kg
Performance		Width (without stand)	714 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	62 mm
AMD FreeSync *	✗	Height (without stand)	422 mm
VESA Adaptive Sync support	✓	Weight (without stand)	8.19 kg
Component video sync	Separate sync	Packaging data	
Flicker-free technology	✓	Package width	930 mm
Low Blue Light technology	✓	Package depth	186 mm
Multimedia		Package height	563 mm
Number of speakers	2	Package weight	15.5 kg
RMS rated power	10 W	Package type	Box
Built-in speaker(s) *	✓	Packaging content	
Megapixel (approx.)	2 MP	Stand included	✓
Built-in microphone	✓	Cables included	HDMI, DisplayPort, USB Type-C, AC
Built-in camera *	✓	Manual	✓
Design		Bundled software	SmartControl
Market positioning *	Home	Sustainability	
Product colour *	Black	Sustainability certificates	ENERGY STAR, TCO
Front bezel colour	Black	Doesn't contain	PVC/BFR, Mercury
Feet colour	Black	Other features	
Ports & interfaces		HBR3 support	✓
Built-in USB hub *	✓	USB Power Delivery revision	3.0
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Exterior finish type	Textured
USB upstream port type	USB Type-C	Recyclable packaging material	100%
Number of upstream ports	1	Heavy metals free	Hg (mercury)
USB Type-A downstream ports quantity	4	Light sensor	✓
USB Type-C DisplayPort Alternate Mode	✓	EasyRead mode	✓
USB Power Delivery (USB PD)	✓	LowBlue mode	✓
USB Power Delivery up to	90 W	Philips SmartUniformity	93 - 105%
DVI port	✗	Picture enhancement	SmartImage
HDMI *	✓	Regulatory Approvals	
HDMI ports quantity	2	UKRAINIAN; cETLus; CB; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified	
HDMI version	2.0	Delta E	2
DisplayPorts quantity	1	Compliance certificates	RoHS
DisplayPort version	1.4	Mean time between failures (MTBF)	70000 h
Audio output	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
HDCP	✓	Wake-on-LAN	✓
HDCP version	2.2	Certification	
Network		UKRAINIAN, EPA, cETLus, CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CE Mark, FCC Class B, ICES-003, TUV Eye Comfort certified	
Ethernet LAN	✓	Recycling data	
Ergonomics		Post-consumer recycled plastic	85%
VESA mounting *	✓	Logistics data	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210
Cable lock slot *	✓		

Ergonomics

Cable lock slot type

Kensington



8712581768058



0609585253902



609585253902

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.