## Epson DS-770 II Sheet-fed scanner 600 x 600 DPI A4 White

**Brand :** Epson **Product code:** B11B262401

Product name: DS-770 II

- An industry first with Slow Mode: Scan crumpled, long or fragile documents without increasing file sizes
- Active Separation Roller System: Prevents tedious double feeds ensuring every piece of paper gets scanned
- Optional flatbed scanner conversion kit: Enables scanning of items from stamps to passports, books and more
- Auto Scan Mode: Quickly process physical documents in manageable amounts
- Optional Network Interface: Easy sharing between users with push scan and pre-defined job profiles ReadyScan LED, Ultrasonic Sensor, 600 DPI, USB 3.0, 296x169x176 mm






Scanning		Weight & dimensions	
Maximum scan size * Optical scanning resolution * Colour scanning Duplex scanning *	215.9 x 6096 mm 600 x 600 DPI 30 bit	Width Depth Height Weight	296 mm 169 mm 176 mm 3.7 kg
Input colour depth		Packaging data	
Output colour depth 24 bit Input greyscale depth 10 bit Output greyscale depth 8 bit Output monochrome depth 8 bit ADF scan speed (b/w, A4) 45 ppm ADF scan speed (colour, A4) 45 ppm	10 bit 8 bit 8 bit	Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 250 mm 365 mm 285 mm 4.58 kg
Duplex ADF scan speed (b/w, A4)	90 ipm	Packaging content	
Duplex ADF scan speed (colour, A4)	90 ipm	Warranty card	1
Design		Cables included	AC
Scanner type * Product colour * Display Built-in display *	Sheet-fed scanner White LCD  ✓	Drivers included  Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto!
Performance			BizCard 5.6
Light source Scan file formats Daily duty cycle (max) * Scan to Scan drivers	ReadyScan LED JPEG, PDF, TIFF 7000 pages E-mail, FTP, Software, Print, Network folder TWAIN, WIA, ISIS		
Ultrasonic sensor	✓		
Input capacity			
Standard input capacity	100 sheets		
Auto document feeder (ADF) input capacity	100 sheets		

## Paper handling System requirements Plastic Card, Post Card(JPN) Scanning media types supported Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 und höher, Maximum ISO A-series paper size \* Linux, Mac OS 10.7.x, Mac OS ISO A-series sizes (A0...A9) A4, A5, A6 10.8.x, Mac OS 10.9.x, Mac OS X, B5, B6 ISO B-series sizes (B0...B9) Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7, 64-Bit-Letter Version, Windows 8, Windows 8 Legal (32/64 Bit), Windows 8 RT, Windows Compatible operating systems Auto Document Feeder (ADF) media 8.1, Windows 8.1 x64 Edition, 27 - 413 g/m<sup>2</sup> Windows Server 2008 (32/64 Bit), weiaht Windows Server 2008 R2. Windows Maximum scan area (ADF) 215.9 x 6096 mm Server 2012 (64bit), Windows Minimum scan area (ADF) 50.8 x 50.8 mm Server 2012 R2, Windows Vista, Windows Vista, 64-Bit-Version, Ports & interfaces Windows Server 2003 R2. Windows USB port \* XP Professional x64 Edition **USB** version 3.2 Gen 1 (3.1 Gen 1) Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Power Windows operating systems Windows RT, Windows 8.1, Windows supported 8.1 x64, Windows Vista, Windows Power supply type \* AC. Vista x64, Windows XP Professional 0.1 W Power consumption (off) x64 Mac operating systems supported Linux operating systems supported Windows Server 2008, Windows Server 2008 x64, Windows Server Server operating systems supported 2008 R2, Windows Server 2012 x64, Windows Server 2012 R2, Windows Server 2003 R2 Operational conditions Operating temperature (T-T) 5 - 35 °C Storage temperature (T-T) -25 - 60 °C 15 - 80% Operating relative humidity (H-H) Storage relative humidity (H-H) 15 - 85% Other features 75, 100, 150, 200, 240, 300, 600, Output resolutions 1200 dpi Image formats supported JPEG, TIFF Logistics data Products per pallet 63 pc(s) Indonesia Country of origin Pallet gross weight 0 g Products per pallet (UK) 84 pc(s)

Pallet weight (UK)

Harmonized System (HS) code

84716070



8715946685946

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.