

## be quiet! TFX POWER 3 300W Gold virtälähdeyksikkö 20+4 pin ATX musta

**Tuotemerkki** : be quiet!

**Tuotekoodi**: BN323

**Tuotteen nimi** : TFX POWER 3 300W Gold

be quiet! TFX POWER 3 300W Gold. Kokonaisteho: 300 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 350 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 35 cm, SATA-virtakaapelin pituus: 300,450,600 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: TFX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 8 cm. Tuotteen leveys: 85 mm, Tuotteen syvyys: 175 mm, Tuotteen korkeus: 65 mm




Power		Ports & interfaces	
Total power *	300 W	Floppy disk drive cable length	60 cm
Peak power	350 W	Cabling type	Non-Modular
AC input voltage *	100 - 240 V	<b>Performance</b>	
AC input frequency	50 - 60 Hz	80 PLUS certification *	80 PLUS Gold
Input current	4/2 A	Purpose *	PC
Maximum input current (@110V)	4 A	Power supply unit (PSU) form factor *	TFX
Maximum input current (@220V)	2 A	ATX version	2.52
Power factor	0.98	EPS version	2.92
Power Factor Correction (PFC) type	Active	Noise level	21.7 dB
Combined power (+3.3V)	103 W	Mean time between failures (MTBF)	100000 h
Combined power (+12V)	288 W	Safety	CE, CB, TÜV, CU
Combined power (+5V)	103 W	<b>Design</b>	
Max output current (+3.3V)	18 A	Product colour	Black
Max output current (+12V1)	13 A	Cooling type	Active
Max output current (+12V2)	13 A	Fan diameter	8 cm
Max output current (+5V)	18 A	Number of fans	1 fan(s)
Max output current (-12V)	0.3 A	<b>Weight &amp; dimensions</b>	
Max output current (+5Vsb)	3 A	Width	85 mm
Hold time	29 ms	Depth	175 mm
Efficiency	90.6%	Height	65 mm
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage	Weight	1.1 kg
<b>Ports &amp; interfaces</b>		<b>Packaging data</b>	
Motherboard power connector *	20+4 pin ATX	Package width	159 mm
Motherboard power cable length	35 cm	Package depth	80 mm
Number of SATA power connectors	3	Package height	215 mm
SATA power cable length	300,450,600 mm	Package weight	1.43 kg
Peripheral (Molex) power connectors (4-pin) *	2	Package type	Box
Peripheral (Molex) power cable length	300,450 mm	<b>Technical details</b>	
PCI Express power connectors (6+2 pin)	1	Sustainability compliance	✓
PCI Express power cable length	40 cm	Sustainability certificates	ENERGY STAR, ErP
CPU P4 connector (4-pin)	1	Compliance certificates	RoHS, WEEE
CPU power cable length	35 cm		

Ports & interfaces		Logistics data	
--------------------	--	----------------	--

Floppy drive power connector	1
------------------------------	---

Shipping (inner) case length	47.4 cm
Shipping (inner) case width	27.5 cm
Shipping (inner) case height	19.5 cm
Products per shipping (inner) case	6 pc(s)
Shipping (inner) case gross weight	9.39 kg
Harmonized System (HS) code	84733020



4260052188293

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date