



## Canon imageRUNNER C1538iF Laser A4 1200 x 1200 DPI 38 ppm Wi-Fi

**Tuotemerkki :** Canon

**Tuoteperhe:** imageRUNNER

**Tuotekoodi:** 4930C002

**Tuotteen nimi :** C1538iF

Canon imageRUNNER C1538iF. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 38 ppm. Kopiointi: Värikopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskanuus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Väriefaksaus. Kaksipuolinen toiminto: Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: Harmaa, Valkoinen



Printing		Paper handling	
Print technology *	Laser	Custom media length	127 - 355.6 mm
Printing *	Colour printing	Paper tray media weight	60 - 163 g/m <sup>2</sup>
Duplex printing *	✗	Multi-Purpose Tray media weight	60 - 216 g/m <sup>2</sup>
Maximum resolution *	1200 x 1200 DPI	<b>Ports &amp; interfaces</b>	
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Direct printing *	✓
Print speed (colour, normal quality, A4/US Letter)	38 ppm	USB port	✓
Warm-up time	4 s	USB connector	USB Type-A / USB Type-B
Watermark printing	✓	USB 2.0 ports quantity	3
Secure printing	✓	<b>Network</b>	
Poster printing function	✓	Wi-Fi *	✓
<b>Copying</b>		Ethernet LAN *	✓
Duplex copying *	✓	Cabling technology	10/100/1000Base-T(X)
Copying *	Colour copying	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum copy resolution *	600 x 600 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first copy (black, normal)	5.9 s	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Time to first copy (colour, normal)	6.9 s	<b>Performance</b>	
Maximum number of copies	999 copies	Internal storage capacity	64 GB
Copier resize	25 - 400%	Storage media	eMMC
Copy programming function	✓	Internal memory *	2048 MB
<b>Scanning</b>		Built-in processor	✓
Duplex scanning *	✓	Processor frequency	1000 MHz
Scanning *	Colour scanning	Processor cores	2
Optical scanning resolution *	600 x 600 DPI	Sound pressure level (printing)	50 dB
Maximum scan area	261 x 355.6 mm	<b>Design</b>	
Scanner type *	ADF scanner	Product colour *	Grey, White
Scan to	Cloud	Market positioning *	Business

<b>Scanning</b>		<b>Design</b>	
Image formats supported	EPS, JPEG, TIFF	Built-in display *	✓
Document formats supported	PDF, XPS	Display	TFT
Scan drivers	TWAIN, WIA	Display diagonal	17.8 cm (7")
<b>Fax</b>		Control type	Touch
Faxing *	Colour faxing	Colour display	✓
Fax resolution (black)	400 x 400 DPI	<b>Power</b>	
Modem speed	33.6 Kbit/s	Power consumption (average operating)	1500 W
Fax memory	30000 pages	Power consumption (standby)	33.3 W
Speed dialling	✓	Power consumption (sleep)	1.1 W
<b>Features</b>		Energy Star Typical Electricity Consumption (TEC)	0.43 kWh/week
Duplex functions *	Scan	AC input voltage	220 - 240 V
Number of print cartridges *	4	AC input frequency	50 - 60 Hz
Printing colours *	Black, Cyan, Magenta, Yellow	<b>System requirements</b>	
Page description languages	PCL 6, PostScript 3, UFR II	Windows operating systems supported	Windows 10, Windows 8.1
Printer fonts	Barcode, PCL, PostScript	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina
Scalable fonts	Roman	Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
<b>Input &amp; output capacity</b>		<b>Operational conditions</b>	
Total number of input trays *	1	Operating relative humidity (H-H)	20 - 80%
Total input capacity *	650 sheets	Operating temperature (T-T)	10 - 30 °C
Total output capacity *	200 sheets	<b>Sustainability</b>	
Multi-Purpose tray	✓	Sustainability compliance	✓
Auto document feeder (ADF)	✓	Sustainability certificates	Blue Angel, ENERGY STAR
Maximum input capacity	2300 sheets	<b>Weight &amp; dimensions</b>	
Maximum output capacity	200 sheets	Width	500 mm
<b>Paper handling</b>		Depth	550 mm
Maximum ISO A-series paper size *	A4	Height	640 mm
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Plain paper, Recycled paper, Thin paper, Transparencies	Weight	41 kg
ISO A-series sizes (A0...A9) *	A4, A5, A6	<b>Packaging content</b>	
ISO B-series sizes (B0...B9)	B5	Cartridge(s) included	✓
Envelopes sizes	10, C5, Com-10, DL, Monarch		
Custom media width	76.2 - 216 mm		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date