

ASUS PRO Q570M-C/CSM Intel Q570 LGA 1200 (Socket H5) mikro ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB1700-M0EAYC


Tuotteen nimi : PRO Q570M-C/CSM

ASUS PRO Q570M-C/CSM. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1200 (Socket H5), Yhteensopivat prosessorit: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III. Enimmäiserottelutarkkuus: 4096 x 2304 pikseliä. HDMI-versio: 1.4/2.0



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports *	1
Processor socket *	LGA 1200 (Socket H5)	PS/2 ports quantity	2
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	HDMI ports quantity *	1
	Intel® Core™ i5, Intel® Core™ i7,	HDMI version	1.4/2.0
Maximum number of SMP processors	1	DisplayPorts quantity	2
		DisplayPort version	1.4
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	Gigabit Ethernet
Memory slots type	DIMM	LAN controller	Intel® I219-V
Memory channels	Dual-channel	Wake-on-LAN ready	✓
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	2133,2400,2666,2800,2933,3200 MHz	Features	
Maximum internal memory *	128 GB	Motherboard chipset *	Intel Q570
Unbuffered memory	✓	Audio chip	Realtek ALC897
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Graphics		Motherboard form factor *	micro ATX
Parallel processing technology support *	Not supported	Motherboard chipset family *	Intel
Maximum resolution	4096 x 2304 pixels	Windows operating systems supported	Windows 10 x64
Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x1 (Gen 3.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	PCI Express x16 slots	1
Number of SATA III connectors *	6	Number of M.2 (M) slots	2
		BIOS	
		BIOS memory size	192 Mbit

Internal I/O		BIOS	
Audio connector	✓	Clear CMOS jumper	✓
Front panel audio connector	✓	Logistics data	
ATX Power connector (24-pin)	✓	Harmonized System (HS) code	84733020
CPU fan connector	✓	Weight & dimensions	
Chassis intrusion connector	✓	Width	244 mm
EPS power connector (8-pin)	✓	Depth	244 mm
Number of COM connectors	2	Height	51 mm
Rear panel I/O ports		Packaging content	
USB 2.0 ports quantity *	2	Cables included	SATA
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4	Other features	
		Weight	634 g



4711081165248

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.