




**QNAP QSW-M2108-2C verkkokytkin Hallittu L2 2.5G Ethernet
(100/1000/2500) Harmaa, Valkoinen**

Tuotemerkki : QNAP

Tuotekoodi: QSW-M2108-2C

Tuotteen nimi : QSW-M2108-2C



QNAP QSW-M2108-2C. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 2.5G Ethernet (100/1000/2500), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8, Console-portti: RJ-45. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 80 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE.... DC-syöttöjännite: 12 V

Management features		Security	
Switch type *	Managed	Access Control List (ACL)	✓
Switch layer	L2	IGMP snooping	✓
Quality of Service (QoS) support	✓	Design	
Web-based management	✓	Rack mounting *	✗
Ports & interfaces		Product colour	Grey, White
Basic switching RJ-45 Ethernet ports quantity *	8	Reset button	✓
Basic switching RJ-45 Ethernet ports type *	2.5G Ethernet (100/1000/2500)	LED indicators	Activity, Link, Power, Speed, Status
2.5G Ethernet (copper) ports quantity	8	Number of fans	1 fan(s)
Combo SFP ports quantity	2	Electromagnetic compatibility	Class B
Console port	RJ-45	Performance	
Network		Firmware upgradeable	✓
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power	
		Power supply included *	✓
10G support *	✓	DC input voltage	12 V
Copper ethernet cabling technology	10GBASE-T, 100BASE-T, 1000BASE-T, 2500BASE-T	Power consumption (max)	36 W
Full duplex	✓	Power over Ethernet (PoE)	
Flow control support	✓	Power over Ethernet (PoE) *	✗
Spanning tree protocol	✓	Operational conditions	
Auto-negotiation	✓	Operating temperature (T-T)	0 - 40 °C
VLAN support	✓	Operating relative humidity (H-H)	5 - 95%
Virtual LAN features	Port-based VLAN, Tagged VLAN	Weight & dimensions	
Optical fiber		Width	290 mm
Fiber ethernet cabling technology	1000BASE-LX, 1000BASE-SX	Depth	127 mm
Data transmission		Height	42.5 mm
Switching capacity *	80 Gbit/s	Weight	1.12 kg
Throughput	40 Gbit/s	Packaging content	
MAC address table *	16000 entries	Cables included	AC
		Quick start guide	✓
		Packaging data	
		Package weight	1.54 kg

Data transmission		Certificates	
Jumbo frames support	✓	Certification	CE, FCC, VCCI, BSMI
Jumbo frames	9000	Logistics data	
Security		Harmonized System (HS) code	85176990
DHCP features	DHCP client		



4713213518366



0885022020386



885022020386

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.