

BenQ TH671ST data projector Standard throw projector 3000 ANSI lumens DLP 1080p (1920x1080) White

Brand : BenQ Product code: 9H.JGY77.1HE

Product name: TH671ST

- Experience Smooth Gaming Action with Ultra-low Input Lag
- Best Viewing Comfort in Any Lighting Conditions with LumiExpert $^{\scriptscriptstyle\mathsf{TM}}$ Technology
- Short Throw Projection Ensures 100" Screen From 1.5 Meters Distance

 $3000\ \text{Im},\,1920x1080,\,16:9,\,\text{DLP},\,240\ \text{W},\,30^{\text{-}}300^{\text{"}},\,\text{RMS}\,5\,\text{W},\,2x\,\text{VGA},\,2x\,\text{HDMI},\,\text{USB}\,\text{A},\,\text{USB}\,\text{Mini}\,\text{B},\,2x\,3.5\text{mm},\,\text{IR},\,296x224x120\,\,\text{mm}$

BenQ TH671ST. Projector brightness: 3000 ANSI lumens, Projection technology: DLP, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 10000 h. Focal length range: 10.2 - 12.24 mm, Aperture range (F-F): 2.6 - 2.78, Zoom ratio: 1.1:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4a





Projector		Ports & interfaces	
Supported aspect ratios	16:9	AC (power) in	✓
Screen size compatibility *	762 - 7620 mm (30 - 300") 3000 ANSI lumens DLP 1080p (1920×1080) 10000:1 16:9	Network	•
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) *		Smart TV * Ethernet LAN * Wi-Fi *	x x x
Native aspect ratio *		Storage	
Number of colours	1.073 billion colours	Card reader integrated *	x
Horizontal scan range	15 - 102 kHz	Features	
Vertical scan range Keystone correction, vertical	23 - 120 Hz -40 - 40°	Noise level (economic mode)	29 dB ✓
Light source		On Screen Display (OSD)	,
Light source type * Service life of light source * Service life of light source (economic mode) Lamp power Lamps quantity	Lamp 4000 h 10000 h 240 W 1 lamp(s)	On Screen Display (OSD) languages	Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian,
Lens system	10.2 12.24	Noise level *	Swedish, Thai, Turkish 33 dB
Focal length range Aperture range (F-F)	10.2 - 12.24 mm 2.6 - 2.78	Multimedia	33 43
Zoom ratio Throw ratio Offset	1.1:1 0.69 - 0.83:1 102.5%	Built-in speaker(s) * RMS rated power Number of built-in speakers	√ 5 W 1
Video		Design	
Analog signal format system * Full HD * 3D * Supported graphics resolutions Supported video modes	NTSC, PAL, SECAM	Market positioning * Product type * Product colour * Placement Cable lock slot Cable lock slot type	Home cinema Standard throw projector White Desktop ✓ Kensington

Video		Display	
Video colour modes	Bright cinema, Cinema, Game, Sports	Built-in display *	X
		Power	
Ports & interfaces HDMI connector type HDMI version USB 2.0 ports quantity * Serial interface type * PC Audio in PC Audio out VGA (D-Sub) ports quantity * HDMI ports quantity * DVI port * Mobile High-Definition Link (MHL)	Full-size 1.4a 1 RS-232	Power source * Power consumption (typical) * Power consumption (standby) * AC input voltage AC input frequency Operational conditions Operating temperature (T-T) Weight & dimensions Width Depth Height Weight * Packaging content Remote control included * Batteries included Cables included Logistics data	AC 320 W 0.5 W 100 - 240 V 50 - 60 Hz 0 - 40 °C 296 mm 120 mm 224 mm 2.7 kg
		Harmonized System (HS) code	85286200

