

BenQ LH890UST dataprojektori Lähietäisyysprojektori 4000 ANSI lumenia DLP 1080p (1920x1080) Valkoinen

Tuotemerkki : BenQ

Tuotekoodi: 9H.JJD77.3HE

Tuotteen nimi : LH890UST

BenQ LH890UST. Projektorin kirkkaus: 4000 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h. Kiinteä polttoväli: 3,35 mm, Zoomin malli: Kiinteä, Heittosuhde: 0.23:1. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Tuetut videomoodit: 1080p. Sarjaliitännän tyyppi: RS-232, HDMI-versio: 1.4b





Projector		Storage		
Projector brightness *	4000 ANSI lumens	Card reader integrated *	×	
Projection technology *	DLP	Features		
Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Keystone correction, horizontal Keystone correction, vertical Matrix size	1080p (1920x1080) 3000000:1 16:9 1.07 billion colours -20 - 20° -20 - 20° 1.65 cm (0.65")	Interactive * Interactive input supported Noise level (economic mode) HDCP Noise level * Certification	✓ Interactive pen/Touch 32 dB ✓ 35 dB IP5X	
Light source		Multimedia		
Light source type * Service life of light source *	Laser 20000 h	Built-in speaker(s) * RMS rated power	<pre>/ 10 W 1 X</pre>	
Lens system		Number of built-in speakers		
Fixed focal length	3.35 mm	TV tuner integrated		
Zoom type Throw ratio Offset	Fixed 0.23:1 118.8%	Design Market positioning * Product type *	Education Ultra short throw projector	
Video		Product colour *	White Ceiling, Desktop, Wall	
Full HD *	1	Placement LED indicators		
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Power	•	
Supported video modes	1080p	Power source *	AC	
Ports & interfaces		Power consumption (typical) *	358 W	
HDMI version S-Video inputs quantity USB 2.0 ports quantity Mini-USB 2.0 ports quantity	1.4b 1 1 2	Power consumption (standby) * AC input voltage AC input frequency	0.5 W 100 - 240 V 50 - 60 Hz	

Ports & interfaces		Operational conditions	
Headphone outputs	1	Operating temperature (T-T)	0 - 35 °C
Microphone in	1	Weight & dimensions	
erial interface type *	RS-232	Width	502.1 mm
GA (D-Sub) ports quantity *	2	Depth	399.3 mm
OMI ports quantity *	2	Height	164.5 mm
omposite video in *	1	Weight *	9.06 kg
VI port *	×	Packaging content	5
twork		Remote control included *	1
ernet LAN *	1	Remote control type	IR
hernet LAN (RJ-45) ports	1	Batteries included	✓
		Cables included	AC, VGA
		Mounting brackets included	1
		Logistics data	

Harmonized System (HS) code

85286200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.