ASUS ROG STRIX B560-I GAMING WIFI Intel B560 LGA 1200 (Socket H5) mini ITX

Brand : ASUS

Product code: 90MB16Y0-M0EAY0

Product name : ROG STRIX B560-I GAMING WIFI

Intel® B560, LGA1200, 2 x DDR4, 64GB Max, PCIe 4.0/3.0 x16, 2 x M.2, 4 x SATA, 2.5Gb Ethernet, Wi-Fi, USB 3.2 Gen 2x2 Type-C, USB 3.2 Gen 2, 5 x USB 2.0, 1 x Audio USB Type-C, DisplayPort, HDMI, 5 x Audio jacks, 128 Mb Flash ROM, UEFI AMI BIOS, Mini ITX, 17 x 17cm

ASUS ROG STRIX B560-I GAMING WIFI Intel B560 LGA 1200 (Socket H5) mini ITX:

ntel® B560 LGA 1200 Mini-ITX motherboard with PCle 4.0, 8 teamed power stages, WiFi 6 (802.11ax), Realtek 2.5 Gb Ethernet, Two M.2 slots with one slot having a heatsink and M.2 backplate, Two-Way Al Noise Cancelation, USB 3.2 Gen 2x2 USB Type-C®, SATA and Aura Sync RGB lighting





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		Intel LGA 1200 (Socket H5) Intel® Celeron®, Intel® Core™ i5,	USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	6 1
Compatible processor series *		Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®	Ethernet LAN (RJ-45) ports * HDMI ports quantity *	1
Maximum number of SMP processors		1	HDMI version DisplayPorts quantity	2.0 1
Memory Supported memory types * Number of memory slots * Memory slots type Memory chanels ECC compatibility Supported memory clock speeds	DDR4-SDRAM 2 DIMM Dual-channel Non-ECC 2133,2400,2666,2800,2933, MHz	3200,3333,3400,3466,3600,3733,4000,4266,4400,4600,4800,5333	DisplayPort version Headphone outputs Microphone in S/PDIF out port	1.4 1 ✓
Maximum internal memory * Storage controller	64 GB		WiFi-AP antenna jack	2
-			Network	
Supported storage drive typesHDD & SSDSupported storage drive interfaces * M.2, SATANumber of storage drives supported6			Ethernet LAN Ethernet interface type	✓2.5 Gigabit Ethernet
Graphics			Wi-Fi *	1
Maximum resolution Number of displays supported		5120 x 2880 pixels 2	Top Wi-Fi standard WLAN controller model	Wi-Fi 6 (802.11ax) Intel Wi-Fi 6 AX201
Internal I/O			Features	
USB 2.0 connectors USB 3.2 Gen 1 (3.1 c connectors * USB 3.2 Gen 2 (3.1 c connectors * Number of SATA III c S/PDIF out connecto	Gen 1) Gen 2) connectors *	1 1 5 •	Motherboard chipset * Audio chip Audio output channels * Component for * Motherboard form factor * Motherboard chipset family * Power source type Number of mounting holes Windows operating systems	Intel B560 SupremeFX S1220A 7.1 channels PC mini ITX Intel ATX 4

/isus

Internal I/O

Number of EATX power connectors				
CPU fan connector				
Number of chassis fan connectors				
Chassis intrusion connector				
Peripheral (Molex) power connectors (4-pin)				
EPS power connector (8-pin)				
12V power connector				
RGB LED pin header				

Expansion slots	
PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 2
BIOS	
BIOS type * BIOS memory size Clear CMOS jumper	UEFI AMI 128 Mbit ✓
Logistics data	
Harmonized System (HS) code	84733020
Weight & dimensions	
Width Depth	170 mm 170 mm
Packaging content	
Cables included Drivers included	SATA ✓



4711081123224

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.