

## QNAP QSW-M408-4C verkkokytin Hallittu L2 Gigabit Ethernet (10/100/1000) Valkoinen

**Tuotemerkki :** QNAP

**Tuotekoodi:** QSW-M408-4C



**Tuotteen nimi :** QSW-M408-4C

QNAP QSW-M408-4C. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8, Console-portti: RJ-45. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 96 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE...



Management features		Design	
Switch type *	Managed	Rack mounting *	✗
Switch layer	L2	Stackable *	✗
Quality of Service (QoS) support	✓	Product colour	White
Web-based management	✓	Reset button	✓
<b>Ports &amp; interfaces</b>		LED indicators	Activity, Link, Power, Speed, Status
Basic switching RJ-45 Ethernet ports quantity *	8	Number of fans	1 fan(s)
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Electromagnetic compatibility	CLASS A
Gigabit Ethernet (copper) ports quantity	8	<b>Performance</b>	
Combo SFP ports quantity	4	Noise level	21 dB
Console port	RJ-45	<b>Power</b>	
<b>Network</b>		Power source *	AC
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3x, IEEE 802.3z	Power supply included *	✓
10G support *	✓	Number of power supply units	1
Copper ethernet cabling technology	10BASE-T, 10GBASE-T, 1000BASE-LX, 1000BASE-SX, 1000BASE-T	AC input voltage	100 - 240 V
Cable types supported	Cat5, Cat5e, Cat6	AC input frequency	50 - 60 Hz
Full duplex	✓	Power consumption (max)	31.46 W
Flow control support	✓	<b>Power over Ethernet (PoE)</b>	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	<b>Operational conditions</b>	
VLAN support	✓	Operating temperature (T-T)	0 - 40 °C
Virtual LAN features	Port-based VLAN, Private VLAN	Operating relative humidity (H-H)	5 - 95%
<b>Data transmission</b>		<b>Weight &amp; dimensions</b>	
Switching capacity *	96 Gbit/s	Width	290 mm
Throughput	48 Gbit/s	Depth	127 mm
MAC address table *	16000 entries	Height	42.5 mm
Jumbo frames support	✓	Weight	1.15 kg
Jumbo frames	9000	<b>Packaging content</b>	
		Cables included	AC
		Quick start guide	✓
		<b>Packaging data</b>	
		Package weight	1.57 kg

**Security**

DHCP features	DHCP client
Access Control List (ACL)	✓
IGMP snooping	✓

**Certificates**

Certification	CE, FCC, VCCI, BSMI, CCC
---------------	--------------------------

**Logistics data**

Harmonized System (HS) code	85176990
-----------------------------	----------



4713213516713

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date