



Delock Adapter SuperSpeed USB (USB 3.1 Gen 1) with USB Type-CTM male > 2 x Gigabit LAN 10/100/1000 Mbps

Description

The USB-CTM adapter by Delock offers 2 network ports with a data transfer rate up to 1000 Mbps. Each port can be configured independently of the other, so one PC can be connected to different networks at the same time.



ltem no. 63927

EAN: 4043619639274

Country of origin: China

Package: Retail Box



Specification

Connectors:

- 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C[™] male > 2 x Gigabit LAN RJ45 jack
- Chipset: Realtek RTL8153
- SuperSpeed USB 5 Gbps specification
- Data transfer rate:
 Ethernet up to 10 Mbps (Half/Full Duplex)
 Fast Ethernet up to 100 Mbps (Half/Full Duplex)
 Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with: IEEE 802.3: 10BASE-T IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T
- · Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.3x full duplex flow control
- Supports 9k Jumbo Frames
- Downwards compatible to USB 2.0
- · LED indicator for power and activity
- USB bus powered
- Colour: black
- · Cable length incl. connectors: ca. 27 cm

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 2.6.x, ex Mac OS 10.9
- Device with a free USB Type-C[™] port or with a free Thunderbolt[™] 3 port

Package content

- USB Type-C™ Gigabit LAN adapter
- CD ROM with driver and software
- User manual





Images









General	
Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	ex Linux Kernel 2.6.x
	ex Mac OS 10.9
Interface	
Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	2 x Gigabit LAN RJ45 jack
Technical characteristics	
Chipset:	Realtek RTL8153
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1 Gbps