## ATEN CS18208-AT-G KVM-kytkin musta

## Tuotemerkki : ATEN

Tuotekoodi: CS18208-AT-G

Tuotteen nimi : CS18208-AT-G

ATEN CS18208-AT-G. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: HDMI. HDtyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: musta, Kotelon materiaali: Metalli. Voimanlähde: DC, Tulojännite: 12 V, Virrankulutus: 9,77 W. Tuotteen leveys: 432,4 mm, Tuotteen syvyys: 214,3 mm, Tuotteen korkeus: 44 mm





## Ports & interfaces

Ports & interfaces		Suctom requirements	
		System requirements	
Number of computers controlled * Keyboard port type *	8 USB	Windows operating systems supported	✓
Mouse port type *	USB	Linux operating systems supported	1
Video port type *	HDMI	Mac operating systems supported	1
HDMI ports quantity	8	Operational conditions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	8	Operating temperature (T-T)	0 - 40 °C
Console ports *	3.5mm headphone, HDMI, USB A	Storage temperature (T-T)	-20 - 60 °C
Console USB ports quantity	2	Operating relative humidity (H-H)	0 - 80%
USB hub	J	Storage relative humidity (H-H)	0 - 80%
USB 3.2 Gen 1 (3.1 Gen 1) Type-A hub ports quantity	2	Weight & dimensions	422.4
USB connector type	USB Type-A, USB Type-B	Width Depth	432.4 mm 214.3 mm
Audio connections	1	Height	44 mm
Headphone outputs	9	Weight	3.94 kg
Number of microphone inputs	1	Packaging data	
DC-in jack	<ul> <li>Image: A set of the set of the</li></ul>		122
Performance		Package width Package depth	133 mm 499 mm
HD type *	4K Ultra HD	Package height	324 mm
Maximum resolution *	4096 x 2160 pixels	Package weight	4.84 kg
Video bandwidth	60 Hz	Packaging content	
Scan interval	1,5,255 s	Quick installation guide	1
Design		Manual	v V
Product colour * Housing material	Black Metal	Logistics data	
LED indicators		Master (outer) case net weight	11.8 kg
Push button		Harmonized System (HS) code	85176200
		Master (outer) case width	427 mm
Hot keys	•	Master (outer) case length	519 mm
Display		Master (outer) case height	348 mm
Built-in display *	×	Master (outer) case gross weight	15.7 kg
Power		Products per master (outer) case	3 pc(s)
Power source	DC		
Input voltage	12 V		

## Power

Power consumption (typical) 9.

9.77 W



4710469340697

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.