

Epson PS-180

Tuotemerkki : Epson

Tuotekoodi: C32C825341

Tuotteen nimi : PS-180

PS-180

Epson PS-180. Tarkoitus: Tulostin, Virtalähteen tyyppi: Sisätila, Alkuperämaa: Kiina. Tuotteen väri: musta. Lukumäärä per pakkaus: 1 kpl, Pakkauksen leveys: 90 mm, Pakkauksen syvyys: 190 mm. Määrä per kerros: 40 kpl, Määrä per lavakerros (UK): 80 kpl, Määrä per lava (UK): 1080 kpl



Ominaisuudet		Ominaisuudet
Tarkoitus *	Tulostin	<p>- TM-L90 Liner-Free - TM-L500A (115): W/O LCD, PS Short,COMBO IF - TM-L500A (114): W/O LCD,Tray,PS Short,COMBO IF - Epson TM-U950P (253): Parallel, w/o PS, ECW, modified paper guide - Epson TM-U950P (252): Parallel, w/o PS, ECW - Epson TM-U950 Series - Epson TM-U950 (285): Serial, w/o PS, ECW, modified paper guide - Epson TM-U950 (283): Serial, w/o PS, ECW - Epson TM-U675P (032): Parallel, w/o PS, ECW, Auto cutter - Epson TM-U675P (012): Parallel, w/o PS, ECW - Epson TM-U675 (043): Serial, w/o PS, ECW, MICR, Auto cutter - Epson TM-U675 (012): Serial, w/o PS, ECW - Epson TM-U590 Series - Epson TM-U590 (112): Serial, w/o PS, ECW - Epson TM-U295P (262): Parallel, w/o PS, EDG - Epson TM-U295 Series - Epson TM-U295 (292): Serial, w/o PS, EDG - Epson TM-U295 (272): Serial, w/o PS, ECW - Epson TM-U230P (136): Parallel, PS, EDG - Epson TM-U230P (017): Parallel, w/o PS, ECW - Epson TM-U230 (157): Ethernet, PS, EDG - Epson TM-U230 (156): Ethernet, PS, EDG - Epson TM-U230 (136): Serial, PS, EDG - Epson TM-U230 (039): Ethernet, w/o PS, ECW - Epson TM-U230 (038): Ethernet, PS, ECW - Epson TM-U230 (037): Ethernet, w/o PS, ECW - Epson TM-U230 (036): Ethernet, PS, ECW - Epson TM-U230 (016): Serial, PS, ECW - Epson TM-U220PD (052): Parallel, PS, EDG - Epson TM-U220PD (002): Parallel, PS, ECW - Epson TM-U220P (057): Parallel, PS, EDG - Epson TM-U220PB (007): Parallel, PS, ECW - Epson TM-U220 Series - Epson TM-U220D (05280): USB+DMD, PS, EDG, EU - Epson TM-U220D (052): Serial, PS, EDG - Epson TM-U220D (012A0): USB+DMD, PS, ECW - Epson TM-U220D (002): Serial, PS, ECW - Epson TM-U220B Series - Epson TM-U220B (0578E): UB-E04, PS, NE sensor, EDG - Epson TM-U220B (057A0): USB, PS, NE sensor, EDG - Epson TM-U220B (057): Serial, PS, NE sensor, EDG - Epson TM-U220B (007A3): UB-E04, PS, NE sensor, ECW - Epson TM-U220B (007A0): USB, PS, NE sensor, ECW - Epson TM-U220B (007): Serial, PS, NE sensor, ECW - Epson TM-U220A Series - Epson TM-U220A (057): Serial, PS, EDG - Epson TM-U220A (007): Serial, PS, ECW - Epson TM-T90P (011): Parallel, w/o PS, ECW - Epson TM-T90 (022): Serial, PS, EDG - Epson TM-T90 (011): Serial, w/o PS, ECW - Epson TM-T88V (115): Powered USB, w/o PS, w/o cable, Black - Epson TM-T88V Series - Epson TM-T88V (953): Bluetooth + Built-in USB, PS, EDG, EU - Epson TM-T88V (837): Parallel, w/o PS, ECW - Epson TM-T88V (833): Parallel, PS, EDG, EU - Epson TM-T88V (813): Parallel, PS, ECW, EU - Epson TM-T88V (654): Ethernet UB-E04, PS, EDG, Buzzer, EU - Epson TM-T88V (653): Ethernet UB-E04, PS, ECW, Buzzer, EU - Epson TM-T88V (321B1): Wifi, PS, EDG, UK - Epson TM-T88V (321B0): Wifi, PS, EDG, EU - Epson TM-T88V (236): Ethernet, PS, EDG, Buzzer, UK - Epson TM-T88V (231A0): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V (225): Ethernet, PS, ECW, Buzzer, UK - Epson TM-T88V (224): Ethernet, PS, ECW, Buzzer, EU - Epson TM-T88V (221A0): Serial, PS, ECW, Buzzer, EU - Epson TM-T88V (151): Bluetooth, PS, ECW, EU - Epson TM-T88V (052): Powered USB, w/o PS, ECW - Epson TM-T88V (051): Powered USB, w/o PS, EDG - Epson TM-T88V (050): Powered USB, w/o PS, Black - Epson TM-T88V (042): Serial, PS, EDG, EU - Epson TM-T88V (041): Serial, w/o PS, EDG - Epson TM-T88V (034): Serial, w/o PS, ECW - Epson TM-T88V (031B1): Wifi, PS, ECW, UK - Epson TM-T88V (031B0): Wifi, PS, ECW, EU - Epson TM-T88V (031): Serial, w/o PS, ECW - Epson TM-T88V (012): Serial, PS, ECW, EU - Epson TM-T88V Restick Series - Epson TM-T88V Restick (366): Serial, PS, EDG, Buzzer, EU - Epson TM-T88V Restick (346A1): USB, PS, EDG, Buzzer, EU - Epson TM-T88V Restick (345A2): USB, PS, ECW, Buzzer, EU - Epson TM-T88V Restick (336A2): Parallel, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88V Restick (336A1): USB, PS, EDG, 58mm, Buzzer, EU - Epson TM-T88V Restick (335A2): USB, PS, ECW, 58mm, Buzzer, EU - Epson TM-T88V (831): Parallel, w/o PS, EDG - Epson TM-T88V (436): Serial, w/o PS, EDG, low power, low peak 9600 bps - Epson TM-T88V (321B8): Ethernet, PS, EDG - Epson TM-T88V (231A2): Ethernet, PS, EDG, Buzzer - Epson TM-T88V (221A2): Ethernet, PS, ECW, Buzzer - Epson TM-T88V (081): Serial, w/o PS, EDG - Epson TM-T88V (061B8): Ethernet, PS, ECW - Epson TM-T88V (061B1): Ethernet, PS, ECW - Epson TM-T70 (024A1): Ethernet, PS, EDG - Epson TM-T70 (024A0): Ethernet, PS, EDG - Epson TM-T70 (023A0): Powered USB, w/o PS, ECW - Epson TM-T70 (001): Parallel, PS, ECW - Epson TM-T260F (012): w/o IF, EDG (58mm*2) - Epson TM-L90P (022): Parallel, PS, EDG - Epson TM-L90P (012): Parallel, PS, ECW - Epson TM-L90P (011): Parallel, w/o PS, ECW - Epson TM-L90 Liner-free Series - Epson TM-L90 (192): Ethernet, PS, EDG - Epson TM-L90 (191): Ethernet, PS, EDG - Epson TM-L90 (022BA): Ethernet, PS, EDG - Epson TM-L90 (021): Serial, w/o PS, EDG - Epson TM-L90 (011): Serial, w/o PS, ECW - Epson TM-L601P (011): Parallel, w/o PS, ESG - Epson TM-L500A Ticket - Epson TM-L500A Series - Epson TM-L500A (710A1): RFID, Combo, PS short, EDG, LCD, SFW - Epson TM-L500A (710): RFID, Combo, PS short, EDG, LCD - Epson TM-L500A (118A1): LCD, Combo, PS short, ACS, SFW - TM-L500A (118): LCD, Combo, PS short, ACS - Epson TM-L500A (113A2): W/O LCD,Tray,PS,COMBO IF - ARINC F/W - Epson TM-L500A (113): W/O LCD,Tray,PS,COMBO IF - Epson TM-L500A (112A1): Combo, PS, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (112): Combo, PS, EDG, LCD, Tray - Epson TM-L500A (107A1): Combo, PS short, EDG, LCD, Tray - SITA F/W - Epson TM-L500A (107): Combo, PS short, EDG, LCD, Tray - Epson TM-J7600 (061): Parallel, w/o PS, EDG, SJC6(K), SJC7(G) - Epson TM-J750P (311): Parallel, w/o PS, EDG, SJC8(K) - Epson TM-J7500P (311): Parallel, w/o PS, ECW, SJC8(K) - Epson TM-J7500 (361BA): USB, w/o PS, EDG, SJC8(K) - Epson TM-J7500 (361): Serial, w/o PS, EDG, SJC8(K) - Epson TM-J7500 (311BA): USB, w/o PS, ECW, SJC8(K) - Epson TM-J7500 (311): Serial, w/o PS, ECW, SJC8(K) - Epson TM-J7100P (061): Parallel, w/o PS, EDG, SJC6(K), SJC7(R) - Epson TM-J7100P (011): Parallel, w/o PS, ECW, SJC6(K), SJC7(R) - Epson TM-J7100 (062): Serial, w/o PS, EDG, SJC6(K), SJC7(G) - Epson TM-J7100 (061): Serial, w/o PS, EDG, SJC6(K), SJC7(R) - Epson TM-J7100 (033): Serial, w/o PS, ECW, SJC6(K), SJC7(B), MICR - Epson TM-J7100 (032): Serial, w/o PS, ECW, SJC6(K), SJC7(G), MICR - Epson TM-J7100 (031): Serial, w/o PS, ECW, SJC6(K), SJC7(R), MICR - Epson TM-J7100 (013): Serial, w/o PS, ECW, SJC6(K), SJC7(B) - Epson TM-J7100 (012): Serial, w/o PS, ECW, SJC6(K), SJC7(G) - Epson TM-J7000P (081): Parallel, w/o PS, EDG, SJC8(K), MICR - Epson TM-J7000P (031): Parallel, w/o PS, ECW, SJC8(K), MICR - Epson TM-J7000 (061): Serial, w/o PS, EDG, SJC8(K) - Epson TM-J7000 (031): Serial, w/o PS, ECW, SJC8(K), MICR - Epson TM-J7000 (011): Serial, w/o PS, ECW, SJC8(K) - Epson TM-H6000IV Series - Epson TM-H6000IV (906): Serial, PS, EDG, EU - Epson TM-H6000IV (905): Serial, PS, ECW, EU - Epson TM-H6000IV (904): Serial, PS, EDG, MICR, EU - Epson TM-H6000IV (903): Serial, PS, ECW, MICR, EU - Epson TM-H6000IV (514): Parallel, w/o PS, EDG - Epson TM-H6000IV (174): Powered USB, w/o PS, EDG - Epson TM-H6000IV (173): Powered USB, w/o PS, ECW - Epson TM-H6000IV (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000IV (036): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000IV (034): Serial, w/o PS, EDG, MICR - Epson TM-H6000IV (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000IV (024): Serial, w/o PS, EDG, MICR, E/P - Epson TM-H6000IV (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000IV (015): Serial, w/o PS, EDG - Epson TM-H6000IV (014): Serial, w/o PS, ECW - Epson TM-H6000III (514): Parallel, w/o PS, EDG - Epson TM-H6000III (513): Parallel, w/o PS, ECW - Epson TM-H6000III (212): Serial, w/o PS, ECW, Low Power - Epson TM-H6000III (173): Powered USB, w/o PS, ECW - Epson TM-H6000III (044BA): Powered USB, w/o PS, EDG - Epson TM-H6000III (044): Serial, w/o PS, EDG, E/P - Epson TM-H6000III (034BA): USB+DMD, w/o PS, EDG, MICR - Epson TM-H6000III (034A0): Powered USB, w/o PS, EDG, MICR - Epson TM-H6000III (034): Serial, w/o PS, EDG, MICR - Epson TM-H6000III (033BA): USB+DMD, w/o PS, ECW, MICR - Epson TM-H6000III (033): Serial, w/o PS, ECW, MICR - Epson TM-H6000III (023): Serial, w/o PS, ECW, MICR, E/P - Epson TM-H6000III (015BA): USB+DMD, w/o PS, EDG - Epson TM-H5000IIP (012): Parallel, w/o PS, ECW - Epson TM-H5000IIP Series - Epson TM-H5000IIP (022): Serial, w/o PS, ECW, MICR - Epson TM-H5000IIP (012): Serial, w/o PS, ECW - Epson DM-D500BA: Stand-alone type with DP-501 (ECW) - Epson DM-D210BA: Stand-alone type with DP-210 (EDG) - Epson DM-D210BA: Stand-alone type with DP-210 (ECW) - Epson DM-D210 Series - Epson DM-D210 (711): Customer display head only (EDG) - Epson DM-D210 (701): Customer display head only (ECW) - Epson DM-D110BF: Stand-alone type with DP-110 and extension pole (ECW) - Epson DM-D110BA: Stand-alone type with DP-110 with IF (EDG) - Epson DM-D110BA: Stand-alone type with DP-110 (ECW) - Epson DM-D110 Series - Epson DM-D110 (714): Customer display head only (Black) - Epson DM-D110 (712): Customer display head only (EDG) - Epson DM-D110 (704): Customer display head only (white) - Epson DM-D110 (101): Customer display head only Serial type (ECW) - DM-D110 (113): Customer Display, USB, Black - DM-D110 (103): Customer Display, USB, White</p>
Virtalähteen tyyppi *	Sisätila	
Alkuperämaa	Kiina	
		Yhteensopivuus
Suunnittelu		
Tuotteen väri *	musta	
Pakkaustiedot		
Lukumäärä per pakkaus *	1 kpl	
Pakkauksen leveys	90 mm	
Pakkauksen syvyys	190 mm	

Pakkaustiedot

Pakkauksen korkeus	85 mm
Pakkauksen paino	482 g

Logistiikkatiedot

Harmonoidun järjestelmän nimikkeistökoodi (HS)	85044095
Määrä per kerros	40 kpl
Määrä per lavakerros (UK)	80 kpl
Määrä per lava (UK)	1080 kpl
Lavan pituus (UK)	120 cm
Lavan leveys (UK)	100 cm
Lavan korkeus (UK)	3,3 m
Tuotteita lavalla	720 kpl
Kuormalavan leveys	80 cm
Kuormalavan pituus	120 cm
Kuormalavan korkeus	3,3 m



3540260032238



8715946115733

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.