

NOTE: Accessories in this guide only apply to 10" version of CC5000

₹%.ZEBRA

15.6", 22", and 27" versions of CC5000 discontinued 3/2016 - PMB 2718 and 5/2016 - PMB 2765

NOTE: This document is only for general reference. Solution Builder and related PMBs should be used for product availability, pricing, and final solution selection.

* Zebra does not endorse or specifically recommend any third-party products, accessories, or hardware. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Communication Cables Part Number Picture Description Notes Required Items ►Used to communicate with CC5000 Micro USB Cable 25-124330-01R via the USB OTG port. **Mounting Options** Picture Notes Part Number Description Required Items 100mm VESA Includes additional storage shelf to Wall Mounting Kit with Power hold power supply KT-152097-03 Modified over KT-152097-02 to better Supply Storage hold Level VI power supply (PWR-BGA12V50W0WW) ▶100mm VESA Includes additional storage shelf to Wall Mounting Kit with Power KT-152097-02 hold power supply Supply Storage Discontinued 11/2017, now use KT-152097-03 - PMB 3050 KT-152097-01 Wall Mounting Kit ▶100mm VESA

NOTE: Items highlighted in grey may not be orderable/available

KT-152096-03		Pole Mounting Kit	▶100mm VESA ►Includes additional storage shelf to hold power supply ►Modified over KT-152096-02 to better hold Level VI power supply (PWR- BGA12V50W0WW)				
KT-152096-02		Pole Mounting Kit	▶100mm VESA ►Includes additional storage shelf to hold power supply ►Discontinued 11/2017, now use KT- 152096-03 - PMB 3050				
KT-152096-01		Pole Mounting Kit	▶100mm VESA				
Power Cords/ Power Supplies - Note: There are two ways to power the CC5000, either Direct Connect or via 802.3at POE (Power over Ethernet)							
Part Number	Picture	Description	Notes	Required Items			
CBL-DC-375A1-01		DC Power Cord	➤Used along with Power Supply PWR-BGA12V50W0WW. ➤Cable length is 1.5 meters				
PWR-BGA12V50W0WW	Military manager	Power Supply	*100-240 VAC,12V, 4.16A, 50W *Provides US DOE Level VI compliance for power efficiency. *Replaces PWRS-14000-148R	DC Line Cord (CBL-DC-375A1- 01) and AC Line Cord (23844- 00-00R)			
PWRS-14000-148R		Power Supply	Discontinued 1/2017, now use PWR-BGA12V50W0WW and CBL-DC-375A1-01 - see PMB 2903. Replaces KT-14000-148R 100-240 VAC,12VDC,3.33A Energy Star Compliant	23844-00-00R AC Line Cord			
50-14000-148R		Power Supply	▶Discontinued 12/2007 - replaced by KT-14000-148R	23844-00-00R AC Line Cord			

KT-14000-148R	Power Supply	▶Replaces 50-14000-148R ▶Discontinued 12/2010 - now use PWRS-14000-148R	23844-00-00R AC Line Cord
POE29U-1AT(PL)D-R	Single-port High Power Gigabit 802.3at Power Injector	➤Used to power CC5000 via PoE ➤30W Single Port Power over Ethernet Midspan IEEE 802.3at Compliant Power Injector.	AC Line Cord (23844-00-00R)
AP-PSBIAS-2P3-ATR	802.3at Power Injector	Can be used when Power over Ethernet is required, but switch does not provide 802.3at POE. Discontinued 10/2016 due to sale of Zebra's WLAN business to Extreme Networks. Now source third party POE injector.	23844-00-00R AC Line Cord
23844-00-00R	AC Line Cord		