

Lenovo Xeon Silver 4310 suoritin 2,1 GHz 18 MB Smart Cache

Tuotemerkki: Lenovo Tuotekoodi: 4XG7A63468

Tuotteen nimi: Xeon Silver 4310

Lenovo Xeon Silver 4310. Suoritinperhe: Intel® Xeon Silver, Prosessorin kanta: LGA 4189, Prosessorin litografia: 10 nm. Muistikanavat: Octa-kanava, Prosessorin tukema suurin sisäinen muisti: 6,14 TB, Prosessorin tukemat muistityypit: DDR4-SDRAM. Markkinasegmentti: Palvelin, Tuetut ohjepaketit: AVX, AVX 2.0, AVX-512, SSE4.2, Skaalautuvuus: 2S. Prosessorin pakkauskoko: 77.5 x 56.5 mm. Yhteensopivuus: Lenovo ThinkAgile HX5530, Lenovo ThinkAgile HX5531, Lenovo ThinkAgile HX7530, Lenovo ThinkAgile...





Processor		Features	
Processor manufacturer *	Intel	Supported instruction sets	AVX, AVX 2.0, AVX-512, SSE4.2
Processor generation	3rd Generation Intel® Xeon® Scalable	Scalability	25
Processor model *	4310	Processor special features	
Processor base frequency *	2.1 GHz	Intel® Hyper Threading Technology	✓
Processor family *	Intel Xeon Silver	(Intel® HT Technology)	2.0
Processor cores *	12	Intel® Turbo Boost Technology	2.0
Processor socket *	LGA 4189	Intel® AES New Instructions (Intel® AES-NI)	✓
Component for	Server/workstation	Intel Trusted Execution Technology	/
Processor lithography *	10 nm	Intel® Speed Shift Technology	·
Processor threads	24	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
System bus rate	10.4 GT/s	Intel VT-x with Extended Page Tables (EPT)	✓
Processor operating modes *	64-bit	Intel Software Guard Extensions (Intel SGX)	✓
Processor boost frequency	3.3 GHz		
Processor cache	18 MB	Intel 64	✓
Processor cache type	Smart Cache	Intel Virtualization Technology (VT-	
Thermal Design Power (TDP)	120 W	x)	•
Box *	×	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Cooler included *	×	AVX-512 Fused Multiply-Add (FMA)	2
Stepping	M1	units	2
Processor codename	Ice Lake	Intel® Deep Learning Boost (Intel®	1
Processor ARK ID	215277	DL Boost) on CPU	
Memory		Intel® Resource Director Technology (Intel® RDT)	✓
Maximum internal memory supported by processor	6.14 TB	Intel® Volume Management Device (VMD)	•
Memory types supported by processor	DDR4-SDRAM	Mode-based Execute Control (MBE)	/
Memory clock speeds supported by processor	2667 MHz	Operational conditions	
		Tcase	82 °C

Memory		Logistics data	
Memory channels *	Octa-channel	Harmonized System (HS) code	85423119
ECC	✓	Weight & dimensions	
Graphics		Processor package size	77.5 x 56.5 mm
On-board graphics card *	×	Other features	
Discrete graphics card * On-board graphics card model * Discrete graphics card model *	X Not available Not available	Compatibility	Lenovo ThinkAgile HX5530, Lenovo ThinkAgile HX5531, Lenovo ThinkAgile HX7530, Lenovo ThinkAgile HX7531
Features			
Execute Disable Bit Market segment Maximum number of PCI Express lanes	Server		
PCI Express slots version	4.0		





889488531455

0889488531455

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.