

ASUS Dual -RX6700XT-012G AMD Radeon RX 6700 XT 12 GB GDDR6

Brand : ASUS

Product family: Dual

Product code: 90YV0G83-M0NA00

Product name : DUAL-RX6700XT-012G



- OC mode: Up to 2622 MHz (Boost Clock)/up to 2494 MHz (Game Clock)
 - Gaming mode: Up to 2620 MHz (Boost Clock)/up to 2474 MHz (Game Clock)
 - Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure
 - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
 - Auto-Extreme Technology uses automation to enhance reliability
 - A protective backplate prevents PCB flex and trace damage
- 12 GB, GDDR6, 192-bit, PCI-Express 4.0, 2622 MHz boost clock, 3xDisplayPort, HDMI, 2.7 slot
 ASUS Dual -RX6700XT-012G. Graphics processor family: AMD, Graphics processor: Radeon RX 6700 XT.
 Discrete graphics card memory: 12 GB, Graphics card memory type: GDDR6, Memory bus: 192 bit.
 Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express 4.0. Cooling type: Active, Number of fans: 2 fan(s)

Processor		Performance	
CUDA *	✗	Virtual Reality (VR) ready	✓
Graphics processor family *	AMD	HDCP	✓
Graphics processor *	Radeon RX 6700 XT	Dual Link DVI *	✗
Processor boost clock speed (OC mode)	2622 MHz	AMD FreeSync	✓
Maximum resolution *	7680 x 4320 pixels	Design	
Parallel processing technology support *	Crossfire	Cooling type *	Active
Stream processors	2560	Cooling technology	ASUS Axial-tech
Maximum displays per videocard	4	Number of fans	2 fan(s)
Memory		Form factor	Full-Height/Full-Length (FH/FL)
Discrete graphics card memory *	12 GB	Bracket height	Full-Height (FH)
Graphics card memory type *	GDDR6	Number of slots	2.7
Memory bus *	192 bit	Illumination	✓
Data transfer rate	16 Gbit/s	Product colour	Black, Silver
Ports & interfaces		Power	
Interface type *	PCI Express 4.0	Minimum system power supply *	650 W
HDMI ports quantity *	1	Supplementary power connectors	1x 6-pin, 1x 8-pin
HDMI version	2.1	Weight & dimensions	
DisplayPorts quantity *	3	Length	295 mm
DisplayPort version	1.4a	Depth	55 mm
Performance		Height	139 mm
TV tuner integrated *	✗	Packaging data	
DirectX version *	12 Ultimate	Package type	Box
OpenGL version *	4.6	Packaging content	
		Manual	✓

Logistics data

Harmonized System (HS) code 84733020



4711081433057



0195553433044



195553433044

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.