

D-Link DWA-X1850 verkkokortti WLAN 1800 Mbit/s

Tuotemerkki : D-Link

Tuotekoodi: DWA-X1850

Tuotteen nimi : DWA-X1850

D-Link DWA-X1850. Yhteysteknologia: Langaton, Isäntäkoneen käyttöliittymä: USB, Käyttöliittymä: WLAN. Tiedonsiirron enimmäisnopeus: 1800 Mbit/s, Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz). Antennityyppi: Sisäinen. USB-virta. Tuotteen väri: musta



Ports & interfaces		Power	
Connectivity technology *	Wireless	Output voltage	5 V
Host interface *	USB	Power consumption	464 mA
Interface *	WLAN	USB powered	✓
USB connector form factor	Straight	System requirements	
USB version	3.2 Gen 1 (3.1 Gen 1)	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	
Network		Windows operating systems supported	
Maximum data transfer rate *	1800 Mbit/s		
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n		
Wi-Fi	✓		
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)		
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)		
Wi-Fi standards	802.11a, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)		
WLAN data transfer rates supported	574,1200 Mbit/s		
Security algorithms	WPA2, WPA3		
MU-MIMO	✓		
Design		Operational conditions	
Component for *	PC/Laptop	Operating temperature (T-T)	0 - 40 °C
Product colour	Black	Storage temperature (T-T)	-20 - 75 °C
Internal *	✗	Operating relative humidity (H-H)	10 - 90%
Antenna	✓	Storage relative humidity (H-H)	5 - 95%
Antenna design	Internal	Sustainability	
Antenna type	Internal	Sustainability compliance	✓

Weight & dimensions

Width	30 mm
Depth	95.5 mm
Height	12.7 mm
Weight	23.6 g

Technical details

Compliance certificates	CE
-------------------------	----

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------



0790069459078



790069459078



0790069462283



790069462283

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.