

## Epson EcoTank ET-4850

**Tuotemerkki :** Epson

**Tuoteperhe:** EcoTank

**Tuotekoodi:** C11CJ60402

**Tuotteen nimi :** EcoTank  
ET-4850



- A4-monitoimitulostin faksilla ja automaattisella arkinsyöttölaitteella: Tulostus, kopiointi, skannaus ja faksaus
  - Erittäin edullinen tulostus: Säästä jopa 90 %<sup>1</sup> tulostuskuluissa
  - Jopa 72 mustekasettia yhdessä mustepullosarjassa<sup>1</sup>: Tulosta jopa 7 500 mustavalkosivua ja 6 000 värisivua<sup>3</sup>
  - Vaivaton mustesäiliöjärjestelmä: Täytä mustesäiliöt helposti ja siististi avainlukittujen mustepullojen ja laitteen etuosassa olevien säiliöiden ansiosta
  - Epson Smart Panel -sovellus: Asenna, valvo, tulosta, skanna ja suorita muita toimintoja älylaitteestasi<sup>4</sup>
- EcoTank ET-4850



<b>Printing</b>		<b>Ports &amp; interfaces</b>	
Duplex printing mode	Auto	Direct printing *	✓
Print technology *	Inkjet	USB port	✓
Printing *	Colour printing	<b>Network</b>	
Duplex printing *	✓	Wi-Fi *	✓
Maximum resolution *	4800 x 1200 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-PSK, WPA2-AES
Print speed (colour, normal quality, A4/US Letter)	20 ppm	Mobile printing technologies	Apple AirPrint
Print speed (ISO/IEC 24734) black	15.5 ppm	<b>Design</b>	
Print speed (ISO/IEC 24734) colour	8.5 ppm	Product colour *	Black
Duplex print speed (ISO/IEC 24734, A4) black	6.5 ppm	Market positioning *	Home & office
Duplex print speed (ISO/IEC 24734, A4) colour	4.5 ppm	Built-in display *	✓
Time to first page (black, normal)	9 s	Display	LCD
Time to first page (colour, normal)	15 s	Display diagonal	6.1 cm (2.4")
Borderless printing	✓	Touchscreen	✓
<b>Copying</b>		Control type	Touch
Copying *	Colour copying	Colour display	✓
<b>Scanning</b>		<b>Power</b>	
Scanning *	Colour scanning	Power consumption (copying)	12 W
Optical scanning resolution *	1200 x 2400 DPI	Power consumption (ready)	5.4 W
Scanner type *	Flatbed & ADF scanner	Power consumption (sleep)	1 W
Scan technology	CIS	Power consumption (off)	0.2 W
Scan to	Cloud	Energy Star Typical Electricity Consumption (TEC)	0.16 kWh/week
Scan speed (black)	5 inch/min	AC input voltage	220 - 240 V
Scan speed (colour)	5 inch/min	AC input frequency	50 - 60 Hz
Image formats supported	BMP, JPEG, PICT, TIFF, PNG	<b>System requirements</b>	
Document formats supported	PDF	Windows operating systems supported	Windows 10, Windows 8, Windows 7, Windows Vista, Windows 8.1
<b>Fax</b>			
Faxing *	Colour faxing		

<b>Fax</b>		<b>System requirements</b>	
Fax transmission speed	3 sec/page	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Modem speed	33.6 Kbit/s		Server operating systems supported
Fax memory	100 pages		
Auto-redialing	✓		
Fax speed dialing (max numbers)	60		
Fax forwarding to	PC	<b>Weight &amp; dimensions</b>	
<b>Features</b>		Width	375 mm
Duplex functions *	Print	Depth	347 mm
Number of print cartridges *	4	Height	231 mm
Printing colours *	Black	Weight	6.7 kg
Country of origin	Philippines	<b>Packaging data</b>	
<b>Input &amp; output capacity</b>		Package width	410 mm
Total number of input trays *	1	Package depth	500 mm
Total input capacity *	250 sheets	Package height	310 mm
Total output capacity *	30 sheets	Package weight	8.96 kg
Auto document feeder (ADF) input capacity	30 sheets	Quantity per pack	1 pc(s)
<b>Paper handling</b>		<b>Packaging content</b>	
Maximum ISO A-series paper size *	A4	Cartridge(s) included	✓
Paper tray media types *	Photo paper, Plain paper	Included cartridge capacity (black)	14000 pages
ISO A-series sizes (A0...A9) *	A4, A5, A6	Included cartridge capacity (CMY)	5200 pages
ISO B-series sizes (B0...B9)	B5, B6	Cables included	AC
Envelopes sizes	10, C6, DL	Warranty card	✓
Photo paper sizes	9x13,10x15,13x18,13x20,20x25	<b>Logistics data</b>	
		Harmonized System (HS) code	84433100
		Pallet gross weight	0 g
		Products per pallet	20 pc(s)
		Pallet weight (UK)	0 g
		Products per pallet (UK)	30 pc(s)
		<b>Other features</b>	
		Printing method	Epson PrecisionCore
		Number of users	4 user(s)
		Fax polling	✓
		Print head nozzles	400 nozzles black, 128 nozzles per colour



8715946683751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date