## **D**-Link

## D-Link DAP-X2850 WLAN-tukiasema 3600 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DAP-X2850

Tuotteen nimi : DAP-X2850

D-Link DAP-X2850. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 3600 Mbit/s. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, SSH, SSL/TLS, WPA, WPA-Enterprise, WPA-PSK, WPA2, WPA2-Enterprise, WPA3,.... Ethernet LAN -datanopeudet: 10,100,1000,2500 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 19,44 W





212.4 mm

## Ports & interfaces Features Ethernet LAN (RJ-45) ports \* 2.4 GHz \* 3 1 DC-in jack 5 GHz \* 1 6 GHz \* Power Maximum data transfer rate \* 3600 Mbit/s Power over Ethernet (PoE) \* 1 Maximum data transfer rate (2.4 1147 Mbit/s 12 V Output voltage GHz) Output current 2.5 A Maximum data transfer rate (5 GHz) 2402 Mbit/s Power consumption (max) 19.44 W Ethernet LAN data rates 10,100,1000,2500 Mbit/s Design 2.4 - 2.483, 5.15 - 5.35, 5.47 - 5.85 Frequency band GHz Placement \* Ceiling, Wall IEEE 802.11a, IEEE 802.11ac, IEEE White Product colour \* 802.11ax, IEEE 802.11b, IEEE Housing material Plastic 802.11e, IEEE 802.11g, IEEE Networking standards 802.11n, IEEE 802.3, IEEE 802.3ab, Reset button 1 IEEE 802.3af, IEEE 802.3at, IEEE LED indicators Power, Status 802.3az, IEEE 802.3u 1 Automatic channel selection Antenna MIMO 1 Antenna type \* Internal **Omni-directional** MIMO type Multi User MIMO Antenna direction type Antennas quantity Wi-Fi Multimedia (WMM)/(WME) 1 4 Antenna gain level (max) 5.5 dBi Wi-Fi roaming 1 Certificates Wireless isolation Mean time between failures (MTBF) 30000 h Compliance certificates CE Certification FCC Security Weight & dimensions Width 212.4 mm

Depth

Security		Weight & dimensions	
Security algorithms *	64-bit WEP, 128-bit WEP, SSH, SSL/TLS, WPA, WPA-Enterprise, WPA-PSK, WPA2, WPA2-Enterprise, WPA3, WPA3-Enterprise, WPA3-PSK	Height Weight	46.7 mm 763.8 g
		Packaging content	
MAC address filtering	<ul> <li>Image: A set of the set of the</li></ul>	Quantity per pack	1 pc(s)
Service Set Identifier (SSID) features	SSID broadcast, SSID broadcast on/off	Operational conditions	
Number of SSID supported	16	Operating relative humidity (H-H)	10 - 90%
IGMP snooping	1	Operating temperature (T-T)	0 - 40 °C
Auto Wireless Distribution System (WDS)	1	Storage temperature (T-T) Storage relative humidity (H-H)	-20 - 65 °C 5 - 95%
Remote Authentication Dial-In User Service (RADIUS)	1	Sustainability	
Protocols		Sustainability compliance	✓
DHCP server	1	Logistics data	
Management protocols	SNMP (v1, v2c, v3), Telnet, SSH, SSL	Harmonized System (HS) code	85176990
Management features			
Web-based management	1		
Command-line interface (CLI)	<ul> <li>Image: A second s</li></ul>		
Syslog	<ul> <li>Image: A set of the set of the</li></ul>		





790069456947

0790069456947

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.