Lenovo 4XG7A14811 suoritin 2,2 GHz 14 MB Smart Cache

Tuotemerkki : Lenovo

Tuotekoodi: 4XG7A14811

Tuotteen nimi : 4XG7A14811

Lenovo 4XG7A14811. Suoritinperhe: Intel® Xeon Silver, Prosessorin kanta: LGA 3647 (Socket P), Prosessorin litografia: 14 nm. Muistikanavat: Hexa-kanava, Prosessorin tukema suurin sisäinen muisti: 1 TB, Prosessorin tukemat muistityypit: DDR4-SDRAM. Markkinasegmentti: Palvelin, Tuetut ohjepaketit: AVX-512, Skaalautuvuus: 2S. Prosessorin pakkauskoko: 76 x 56.5 mm. Yhteensopivuus: ThinkSystem ST550



D		F	
Processor		Features	
Processor manufacturer *	Intel	PCI Express slots version	3.0
Processor generation	2nd Generation Intel® Xeon® Scalable	Supported instruction sets	AVX-512
Processor model *	4210	Scalability	25
Processor base frequency *	2.2 GHz	Embedded options available	1
Processor family *	Intel Xeon Silver	Processor special features	
Processor cores *	10	Intel [®] Hyper Threading Technology	1
Processor socket *	LGA 3647 (Socket P)	(Intel® HT Technology)	v
Component for	Server/workstation	Intel® Turbo Boost Technology	2.0
Processor lithography *	14 nm	Intel® AES New Instructions (Intel®	1
Processor series	Intel Xeon Silver 4000 Series	AES-NI)	
Processor threads	20	Enhanced Intel SpeedStep Technology	1
Processor operating modes *	64-bit	Intel Trusted Execution Technology	1
Processor boost frequency	3.2 GHz	Intel® Speed Shift Technology	1
Processor cache	14 MB	Intel VT-x with Extended Page	•
Processor cache type	Smart Cache	Tables (EPT)	1
Thermal Design Power (TDP)	85 W	Intel TSX-NI	1
Bus type	UPI	Intel 64	1
Processor codename	Cascade Lake	Intel Virtualization Technology (VT-	
Memory		x)	٠
Maximum internal memory supported by processor	1 TB	Intel Virtualization Technology for Directed I/O (VT-d)	1
Memory types supported by processor	DDR4-SDRAM	Intel Turbo Boost Max Technology 3.0	1
Memory clock speeds supported by processor	2400 MHz	Intel® vPro [™] Platform Eligibility	✓
Memory channels *	Hexa-channel	Operational conditions	
ECC		Tcase	78 °C
		Logistics data	
Graphics		Harmonized System (HS) code	85423119
On-board graphics card *	×	Weight & dimensions	
Discrete graphics card *	×	Processor package size	76 x 56.5 mm
On-board graphics card model *	Not available	. 5	70 X 30.3 IIIII
Discrete graphics card model *	Not available	Other features	
Features		Compatibility	ThinkSystem ST550
Execute Disable Bit	1		
Market segment	Server		
Maximum number of PCI Express	48		

lanes





889488493517

0889488493517

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.