

## D-Link R15 langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) Valkoinen

**Tuotemerkki** : D-Link

**Tuotekoodi**: R15

**Tuotteen nimi** : R15

D-Link R15. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Verkkostandardit: IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n,.... Tietoturva-algoritmit: WPA2, WPA3, WPS. Tuotetyyppi: Pöytäreititin, Tuotteen väri: Valkoinen, LED-merkkivalot: LAN, Teho



<b>WAN connection</b>		<b>Design</b>	
Ethernet WAN *	✓	Product colour	White
DSL WAN *	✗	LED indicators	LAN, Power
SIM card slot *	✗	Product type *	Tabletop router
3G/4G USB modem compatibility *	✗	<b>Certificates</b>	
WAN connection type	RJ-45	Compliance certificates	CE
<b>Wireless LAN features</b>		Certification	FCC, IC
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	<b>Packaging content</b>	
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Cables included	LAN (RJ-45)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	AC adapter included	✓
WLAN data transfer rate (first band)	300 Mbit/s	Quick start guide	✓
WLAN data transfer rate (second band)	1201 Mbit/s	<b>Sustainability</b>	
Modulation	1024-QAM	Sustainability compliance	✓
<b>Network</b>		<b>Antenna</b>	
Ethernet LAN *	✓	Antenna design *	External
Ethernet LAN interface type *	Gigabit Ethernet	Antennas quantity	4
Networking standards	IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n, IEEE 802.11v, IEEE 802.3ab, IEEE 802.3u	<b>Features</b>	
<b>Ports &amp; interfaces</b>		Works with Amazon Alexa	✓
Ethernet LAN (RJ-45) ports *	3	Works with the Google Assistant	✓
USB port *	✗	<b>Operational conditions</b>	
DC-in jack	✓	Operating temperature (T-T)	0 - 40 °C
<b>Management features</b>		Storage temperature (T-T)	-20 - 65 °C
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 95%
		<b>System requirements</b>	
		Browser supported	Internet Explorer 10/Firefox 28.0/Chrome 28.0/Safari 6.0

Management features		System requirements	
Quality of Service (QoS) support	✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64
Reset button	✓		
WPS push button	✓		
Intelligent Mesh technology	✓		
MU-MIMO technology	✓		
Security			
Security algorithms	WPA2, WPA3, WPS		
Stateful Packet Inspection (SPI)	✓	Windows operating systems supported	
DoS attack prevention	✓		
Filtering	✓		
MAC address filtering	✓		
IP address filtering	✓		
DMZ support	✓		
		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
		Mobile operating systems supported	Android, iOS
		Weight & dimensions	
		Width	195 mm
		Depth	139 mm
		Height	55 mm
		Weight	300 g



0790069459573




790069459573



0790069459535



790069459535



0790069459603



790069459603

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.