

Epson TM-m30II-SL (511): USB + Ethernet + BT + NES + Lightning + SD, White, PS, EU

Tuotemerkki : Epson

Tuotekoodi: C31CH63511

Tuotteen nimi : TM-m30II-SL (511): USB + Ethernet + BT + NES + Lightning + SD, White, PS, EU

TM-m30II-SL (511): USB Ethernet BT NES Lightning SD, White, PS, EU

Epson TM-m30II-SL (511): USB + Ethernet + BT + NES + Lightning + SD, White, PS, EU.

Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite). Yhteysteknologia: Langallinen, USB-liitin: USB Type-A / USB Type-B. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 2,2 miljoonaa leikkausta. Tuotteen väri: Valkoinen



| | | | |
|-----------------------------------|-------------------------|-----------------------------------|-------------|
| Printing | | Power | |
| Maximum resolution | 203 x 203 DPI | Power source type * | AC |
| Print speed | 250 mm/sec | AC adapter model | PS-180 |
| Print speed (receipt) | 250 mm/sec | Power plug type | Type C |
| Printing characters | Text, Graphic, Barcode | Operational conditions | |
| Character sets | ANK | Operating temperature (T-T) | 5 - 45 °C |
| Print technology * | Direct thermal | Storage temperature (T-T) | -20 - 60 °C |
| Type * | POS printer | Operating relative humidity (H-H) | 10 - 90% |
| Paper handling | | Storage relative humidity (H-H) | 10 - 90% |
| Maximum roll diameter | 8.3 cm | Weight & dimensions | |
| Supported paper width | 58 mm - 80 mm (Breite) | Width | 140 mm |
| Ports & interfaces | | Depth | 214 mm |
| USB port * | ✓ | Height | 255 mm |
| USB 2.0 ports quantity | 4 | Weight | 2.9 kg |
| USB connector | USB Type-A / USB Type-B | Packaging data | |
| Serial interface * | ✗ | Quantity per pack | 1 pc(s) |
| Connectivity technology * | Wired | Package width | 390 mm |
| Network | | Package depth | 410 mm |
| Ethernet LAN * | ✓ | Package height | 245 mm |
| Features | | Package weight | 5.04 kg |
| Sound pressure level (printing) | 55 dB | Print technology | |
| Mean time between failures (MTBF) | 360000 h | Column capacity | 48/57 |
| Cutter | ✓ | Logistics data | |
| Half-cutter | ✓ | Pallet weight (UK) | 0 g |
| Autocutter durability | 2.2 million cuts | Harmonized System (HS) code | 84433210 |
| Tablet charge & sync | ✓ | Products per pallet (UK) | 32 pc(s) |
| Print head life | 150 km | | |

| Features | | Technical details | |
|--------------------------|---|-------------------------------------|---------------------|
| Country of origin | Philippines | Font styles | ANK |
| Mounting position | Vertical | Lifetime | 17000000 lines |
| Built-in sensors details | Paper End Sensor, Paper Near End Sensor | Other features | |
| Design | | Buffer size | 12 KB |
| Product colour * | White | Mean cycles between failures (MCBF) | 65000000 |
| Built-in display | ✓ | Print head life | 150.000.000 Impulse |



8715946696614

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date