

Epson TM-m30II (112): USB + Ethernet + NES + BT, Black, PS, EU

Tuotemerkki : Epson

Tuotekoodi: C31CJ27112

Tuotteen nimi : TM-m30II (112): USB + Ethernet + NES + BT, Black, PS, EU



- Tyylikäs rakenne: Hienostunut ja käytännöllinen rakenne, pieni tilantarve
- Edullinen: Perustason malli (edeltäjänsä TM-m30:n päivitetty versio)
- Nopea tulostus: Suurempi tulostusnopeus, jopa 250 mm/s
- Suoratulostus mobiililaitteista: Ei ohjainten asennus- tai päivitystarvetta
- Luotettava: Epsonin hyväksi todettu ja luotettu laatu

TM-m30II (112): USB Ethernet NES BT, Black, PS, EU

Epson TM-m30II (112): USB + Ethernet + NES + BT, Black, PS, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite), Suurin materiaalin pituus: 7,95 cm. Yhteysteknologia: Langallinen & langaton, USB-liitin: USB Type-A / USB Type-B. Ethernet LAN -datanopeudet: 10,100 Mbit/s. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 1,5 miljoonaa leikkausta

Printing		Operational conditions	
Maximum resolution	203 x 203 DPI	Storage temperature (T-T)	-20 - 60 °C
Print speed	250 mm/sec	Operating relative humidity (H-H)	10 - 90%
Print speed (receipt)	250 mm/sec	Storage relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	System requirements	
Character sets	ANK	Pre-installed software	TMNet WebConfig, ePOS-Device, ePOS-Display, ePOS-Print
Print technology *	Direct thermal	Weight & dimensions	
Type *	POS printer	Width	127 mm
Paper handling		Depth	127 mm
Maximum roll diameter	8.3 cm	Height	127 mm
Supported paper width	58 mm - 80 mm (Breite)	Weight	1.3 kg
Maximum media length	7.95 cm	Packaging data	
Ports & interfaces		Cables included	AC
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	2	Package width	195 mm
USB connector	USB Type-A / USB Type-B	Package depth	235 mm
Bluetooth	✓	Package height	235 mm
Connectivity technology *	Wired & Wireless	Package weight	2.3 kg
Near Field Communication (NFC)	✓	Packaging content	
Network		AC adapter included	✓
Ethernet LAN *	✓	Print technology	
Ethernet LAN data rates	10,100 Mbit/s	Column capacity	48/57
Wi-Fi *	✗	Logistics data	
Features		Pallet weight (UK)	0 g
Sound pressure level (printing)	55 dB	Harmonized System (HS) code	84433210
Mean time between failures (MTBF)	360000 h	Products per master (outer) case	4 pc(s)
Cutter	✓	Master (outer) case width	400 mm
Half-cutter	✓	Master (outer) case length	490 mm
Autocutter durability	1.5 million cuts	Master (outer) case height	255 mm
Print head life	150 km	Master (outer) case gross weight	0 g
Country of origin	Philippines	Products per pallet	128 pc(s)
Mounting position	Horizontal/Vertical	Pallet gross weight	0 g
Wall mountable	✓	Products per pallet (UK)	192 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Papier-Sensor	Technical details	
		Font styles	ANK

Design		Technical details	
Product colour *	White	Lifetime	17000000 lines
Power		Other features	
Power source type *	AC	Buffer size	12 KB
Power plug type	Type C	Mean cycles between failures (MCBF)	65000000
Operational conditions		Print head life	150.000.000 Impulse
Operating temperature (T-T)	5 - 45 °C		



8715946685069

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date