

## Epson TM-m30II-H (141A0): USB + Ethernet + BT + Lightning + SD, White, PS, UK

**Tuotemerkki :** Epson

**Tuotekoodi:** C31CH92141A0

**Tuotteen nimi :** TM-m30II-H (141A0): USB + Ethernet + BT + Lightning + SD, White, PS, UK

- Parannetut liitännät: Kolme USB-A-porttia oheislaitteiden liittämistä varten
- Tyylikäs rakenne: Hienostunut ja käytännöllinen rakenne, pieni tilantarve
- Nopea tulostus: Suurempi tulostusnopeus, jopa 250 mm/s
- Suoratulostus mobiililaitteista: Ei ohjainten asennus- tai päivitystarvetta
- Luotettava: Epsonin hyväksi todettu ja luotettu laatu

TM-m30II-H (141A0): USB Ethernet BT Lightning SD, White, PS, UK

Epson TM-m30II-H (141A0): USB + Ethernet + BT + Lightning + SD, White, PS, UK. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite), Tulostuksen enimmäisleveys: 8 cm. Yhteysteknologia: Langallinen & langaton, USB-liitin: USB Type-A / USB Type-B. Yhteensopivat muistikortit: MicroSD (TransFlash), Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h. Tuotteen väri: Valkoinen



Printing		Operational conditions	
Maximum resolution	203 x 203 DPI	Operating temperature (T-T)	5 - 45 °C
Print speed	250 mm/sec	Storage temperature (T-T)	-20 - 60 °C
Print speed (receipt)	250 mm/sec	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	Storage relative humidity (H-H)	10 - 90%
Character sets	ANK	Weight & dimensions	
Print technology *	Direct thermal	Width	127 mm
Type *	POS printer	Depth	127 mm
Paper handling		Height	127 mm
Maximum roll diameter	8.3 cm	Weight	1.3 kg
Supported paper width	58 mm - 80 mm (Breite)	Packaging data	
Maximum printing width	8 cm	Quantity per pack	1 pc(s)
Ports & interfaces		Package width	195 mm
USB port *	✓	Package depth	235 mm
USB 2.0 ports quantity	2	Package height	240 mm
USB connector	USB Type-A / USB Type-B	Package weight	2.38 kg
Bluetooth	✓	Print technology	
Connectivity technology *	Wired & Wireless	Column capacity	48/57
Near Field Communication (NFC)	✓	Logistics data	
Network		Pallet weight (UK)	0 g
Ethernet LAN *	✓	Harmonized System (HS) code	84433210
Wi-Fi *	✗	Products per master (outer) case	4 pc(s)
Features		Master (outer) case width	400 mm
Compatible memory cards	MicroSD (TransFlash)	Master (outer) case length	490 mm
Sound pressure level (printing)	55 dB	Master (outer) case height	255 mm
Mean time between failures (MTBF)	360000 h	Master (outer) case gross weight	0 g
Half-cutter	✓	Products per pallet	128 pc(s)
		Pallet gross weight	0 g

Features		Logistics data	
Autocutter durability	2.2 million cuts	Products per pallet (UK)	192 pc(s)
Tablet charge & sync	✓	Technical details	
Print head life	150 km	Font styles	ANK
Country of origin	Philippines	Lifetime	17000000 lines
Mounting position	Horizontal/Vertical	Master (outer) case GTIN (EAN/UPC)	8715946696188
Wall mountable	✓	Other features	
Built-in sensors details	Paper End Sensor, Papier-Sensor	Buffer size	12 KB
Design		Mean cycles between failures (MCBF)	65000000
Product colour *	White	Print head life	150.000.000 Impulse
Power			
Power source type *	AC		
Power plug type	Type G		



8715946688183

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date